



**HEWLETT-PACKARD COMPANY
LOGIC SYSTEMS DIVISION**

**HP 64000
Logic Development
System**

SYSTEM RELEASE BULLETIN

HP STARS II

64000 SOFTWARE RELEASE BULLETIN

UPDATE 88.12A

DECEMBER, 1988

This document supersedes all previously dated SSBs.

HEWLETT
PACKARD

NOTICE

The information contained in this document is subject to change without notice.

HEWLETT-PACKARD MAKES NO WARRANTY OF ANY KIND WITH REGARD TO THIS MATERIAL, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Hewlett-Packard shall not be liable for errors contained herein or for incidental or consequential damages in connection with the furnishing, performance or use of this material.

Hewlett-Packard assumes no responsibility for the use or reliability of its software on equipment that is not furnished by Hewlett-Packard.

This document contains proprietary information which is protected by copyright. All rights are reserved. No part of this document may be photocopied, reproduced or translated to another language without the prior written consent of Hewlett-Packard Company.

READER COMMENT SHEET

STARS II SRB (STARS B)

Issue ____ . ____ DATE ____ / ____ / ____

**We welcome your evaluation of this bulletin. Your comments and suggestions help us to improve our publications
Please use additional pages if necessary.**

Is this bulletin technically accurate? Yes [] No [] (If no, explain under Comments, below.)

Are the concepts and wording easy to understand? Yes [] No [] (If no, explain under Comments, below.)

**Is the format of this bulletin convenient in size, Yes [] No [] (If no, explain or suggest improvements under
arrangement and readability? Comments, below.)**

Comments:

Date: _____

FROM:

Name _____

Company _____

Address _____

STARS B
Printed in U.S.A.

FOLD

FOLD



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES




BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 1303 COLORADO SPRINGS, CO.



POSTAGE WILL BE PAID BY ADDRESSEE

STARS Administration
Hewlett-Packard Company
Logic Systems Division
P.O. BOX 617
Colorado Springs, Colorado 80901-0617



FOLD

FOLD

P R E F A C E

This Software Release Bulletin documents all fixes and enhancements that are incorporated in the new release identified on the cover page. The SRB is provided as a benefit of Hewlett-Packard's Account Management Support, Response Center Support, and Software Materials Subscription.

Of the five sections contained in the SRB (not including the PREFACE), only the last section which contains the detailed reports has page numbers. These are referenced by the product, report number and keyword indexes in order to direct the user to a particular area or to an individual detailed report. The five sections are described below.

SOFTWARE RELEASE CONTENTS

This section lists the product names, numbers and update/fix levels of all products contained in this release. Products that have changed, or are new are denoted with an asterisk preceding the product name.

PRODUCT INDEX

Each unique product name/number has an entry listing the page number where the detailed report for that product begins.

REPORT NUMBER INDEX

This index is a sequential list of the individual report numbers with the corresponding page number where the report can be found.

KEYWORD INDEX

This index is sorted by product name, keyword, product number (including the update/fix level) and by report number in that order. In addition to the sort items, each entry has a brief description (one line) and the page number where the detailed report can be found. Note that a given report can be listed more than once in this section if it has more than one keyword assigned to it.

DETAILED REPORTS

Each report contains all the available information relevant to the problem being corrected or the enhancement being implemented.

Software release contents

Product name		Product number	uu.ff
*64000-UX OP-ENV	300	64801S004	02.30
*68000 12MHZ EMUL	DOS	64742S006	01.02
*68000 BBA	300	64380S004	01.10
*68000C AXLS COMP	300	64902S004	02.10
*68010 16MHZ EMUL	DOS	64745S006	01.02
*68020 BBA	300	64381S004	01.20
*68020C AXLS COMP	300	64903S004	02.11
*6805 U&R EMUL	300	64192S004	01.10
*6805 E EMUL	300	64195S004	01.10
*6805 G EMUL	300	64194S004	01.10
*6805 P EMUL	300	64193S004	01.10
*6809 EMULATION	300	64215S004	01.10
*6809E EMULATION	300	64216S004	01.10
*680XX DEBUG/SIM	300	64360S004	01.00
*80186 EMUL	DOS	64764S006	01.03
*80188 EMUL	DOS	64765S006	01.02
*8051 EMULATION	300	64264S004	01.10
*8086 EMUL	DOS	64762S006	01.02
*8088 EMUL	DOS	64763S006	01.02
*PROM PROGRAMMER	300	64501S004	01.50
*TIMING ANALYSIS	DOS	64741S006	00.01
*TMS 32020/25 ASMB	300	64867S006	01.00
*TMS32020 EMUL	DOS	64786S006	01.02
*TMS320C25 EMUL	DOS	64787S006	01.02
*Z80 EMUL	DOS	64753S006	01.02
*Z80H EMULATION	300	64253S004	01.10

Product index

Product name	Product number	Page
64000-UX OP-ENV 300	64801S004	1
68000 12MHZ EMUL DOS	64742S006	4
68000 BBA 300	64380S004	5
68000C AXLS COMP 300	64902S004	8
68010 16MHZ EMUL DOS	64745S006	12
68020 BBA 300	64381S004	13
68020C AXLS COMP 300	64903S004	16
6805 U&R EMUL 300	64192S004	17
6805 E EMUL 300	64195S004	24
6805 G EMUL 300	64194S004	30
6805 P EMUL 300	64193S004	36
6809 EMULATION 300	64215S004	42
6809E EMULATION 300	64216S004	49
680XX DEBUG/SIM 300	64360S004	55
80186 EMUL DOS	64764S006	56
80188 EMUL DOS	64765S006	57
8051 EMULATION 300	64264S004	58
TMS320C25 EMUL DOS	64787S006	65
Z80 EMUL DOS	64753S006	66
Z80H EMULATION 300	64253S004	67

Report number index

Report #	page	Report #	page	Report #	page	Report #	page
1650053652	2	D200082081	43	D200084376	41	D200090654	32
1650055251	8	D200082099	50	D200084384	34	D200090662	27
1650057893	24	D200082248	68	D200084392	29	D200090712	45
1650070805	8	D200082263	60	D200084418	47	D200090720	52
5000174557	71	D200082453	60	D200084426	54	D200090878	70
5000191395	72	D200082495	21	D200084574	73	D200090894	61
5000279067	1	D200082503	19	D200084590	63	D200091280	1
5000280750	58	D200082511	22	D200084632	41	D200092163	9
5000292375	8	D200082529	22	D200084640	35	D200093013	10
5000403014	9	D200082545	22	D200084657	29	D200093039	10
5000407874	67	D200082552	22	D200084673	48	D200093153	3
5000410688	9	D200082560	23	D200084681	54	D200093427	57
5000416248	16	D200082586	23	D200084830	73	D200093443	12
D200069401	42	D200082792	40	D200084855	63	D200093831	71
D200069419	49	D200082800	33	D200084913	61	D200093864	21
D200069559	67	D200082818	28	D200085241	19	D200093948	11
D200069575	58	D200082834	46	D200085795	20	D200093963	11
D200070557	42	D200082842	53	D200085837	38	D200093989	71
D200075788	58	D200082990	72	D200085845	31	D200094391	21
D200077438	58	D200083014	62	D200085852	26	D200094573	55
D200080119	2	D200083055	37	D200085902	44	D200094615	46
D200080150	17	D200083063	31	D200085910	51	D200094995	4
D200080465	36	D200083071	25	D200086041	69	D200095000	4
D200080473	30	D200083097	44	D200086223	38	D200095018	4
D200080481	24	D200083105	50	D200086231	32	D200095026	4
D200080507	42	D200083253	69	D200086249	26	D200095034	65
D200080515	49	D200083279	60	D200086298	44	D200095042	56
D200080663	67	D200083311	40	D200086306	51	D200095497	39
D200080689	59	D200083329	33	D200086389	70	D200095505	33
D200080762	17	D200083337	28	D200086405	61	D200095513	27
D200080770	36	D200083352	47	D200086934	20	D200095562	46
D200080788	30	D200083360	53	D200087445	1	D200095570	52
D200080796	24	D200083519	72	D200088104	20	D200095786	39
D200080812	43	D200083535	62	D200088187	38	D200095794	33
D200080820	49	D200083592	40	D200088195	32	D200095802	28
D200080960	68	D200083600	34	D200088203	26	D200095851	46
D200080986	59	D200083618	28	D200088252	45	D200095869	53
D200081430	17	D200083634	47	D200088260	52	D200096222	7
D200081448	36	D200083642	53	D200088344	70	D200096248	14
D200081455	25	D200083790	72	D200088369	61	D200096263	4
D200081851	50	D200083816	63	D200090449	13	D200096271	66
D200081919	68	D200084111	40	D200090456	13	D200096289	56
D200081935	59	D200084129	34	D200090464	14	D200096297	66
D200081976	18	D200084137	29	D200090498	5	D200096305	56
D200082008	18	D200084152	47	D200090506	5	D200096313	65
D200082016	37	D200084160	54	D200090514	6	D200096321	66
D200082024	30	D200084319	73	D200090639	20	D200096339	56
D200082032	25	D200084335	63	D200090647	39	D200096347	65

Report number index

Report #	page	Report #	page	Report #	page	Report #	page
D200096354	66	D200096396	56	D200096438	65	D200096479	12
D200096362	56	D200096404	65	D200096446	12	D200096487	12
D200096370	65	D200096412	4	D200096453	12	D200096495	12
D200096388	66	D200096420	66	D200096461	12		

Keyword index

- -4

Keyword	Product number	uu.ff Description	Report #	page
*****none*****	64801S004	01.60 HP64000-UX puts terminfo files in HP-UX reserved place	D200080119	2
	64801S004	01.80 "makecdf(1)" error may occur in msinit on a new discless cluster	D200091280	1
	64801S004	01.80 New names of 64801 partitions cause mass confusion	D200093153	3
	64801S004	02.20 Vt200 and vt220 terminfo files change the behavior of vi.	5000279067	1
	64801S004	02.20 Option_test does not support set (environmental variable) command	D200087445	1
	64801S004	02.30 edbuild w/ ols compiler takes too long when code exceeds seg boundaries.	1650053652	2

- -8

Keyword	Product number	uu.ff Description	Report #	page
*****none*****	64742S006	01.01 Adding emsetspecrun and emspectrace, and changing emspectrun	D200094995	4
	64742S006	01.01 Unable to use filename.a:symbol as a valid local symbol	D200095000	4
	64742S006	01.01 Entering memory address could hang system	D200095018	4
	64742S006	01.01 Ranging during analysis spec screen may hang system	D200095026	4
	64742S006	01.07 ctl-z is ignored one time upon entry into fui	D200096263	4
	64742S006	01.07 Searching a large memory address range can hang system	D200096412	4

- -8

Keyword	Product number	uu.ff Description	Report #	page
*****none*****	64380S004	01.00 Complex conditional assignment delcarations cause bbacpp to core dump	D200090498	5
	64380S004	01.00 Switch statement followed immediately by a label cases bbacpp to fail	D200090506	5
	64380S004	01.00 A switch statement with no statement causes bbacpp to fail	D200090514	6
	64380S004	01.00 Enhance to match changes in standard version of cpp	D200096222	7

- -8

Keyword	Product number	uu.ff Description	Report #	page
*****none*****	64902S004	01.00 Option for inverse C code only works if it is specified first.	1650055251	8
	64902S004	01.00 Cpp looks in the wrong directory for local include files.	D200093013	10
	64902S004	01.00 Cpp requires white space after #define macro name.	D200093039	10
	64902S004	02.00 Lister fails if number of #include's is > ~57.	1650070805	8
	64902S004	02.00 -o option passed to the assembler is always listed last on command line.	5000292375	8
	64902S004	02.00 Nested function calls create dynamic memory error.	5000403014	9
	64902S004	02.00 #define's do not get expanded properly inside of #pragma ASM's	5000410688	9
	64902S004	02.00 INT_MIN and LONG_MIN macros produce constants of the wrong type.	D200093948	11
	64902S004	02.00 An assert () call prior to an else statement may cause improper grouping	D200093963	11
CODE GENERATOR	64902S004	01.00 'Cannot open file' message coming from lister, if open many includes.	D200092163	9

- -8

Keyword	Product number	uu.ff Description	Report #	page
*****none*****	64745S006	01.01 Invalid COM port in 64700tab file	D200093443	12
	64745S006	01.01 Adding emsetspecrun and emspectrace, and changing emspectrun	D200096446	12
	64745S006	01.01 Unable to use filename.a:symbol as a valid local symbol	D200096453	12
	64745S006	01.01 Entering memory address could hang system	D200096461	12
	64745S006	01.01 ctl-z is ignored one time upon entry into fui	D200096479	12
	64745S006	01.01 Ranging during analysis spec screen may hang system	D200096487	12
	64745S006	01.01 Searching a large memory address range can hang system	D200096495	12

Keyword index

- -8

Keyword	Product number	uu.ff Description	Report #	page
*****none*****	64381S004	01.10 Complex conditional assignment delcarations cause bbacpp to core dump	D200090449	13
	64381S004	01.10 Switch statement followed immediately by a label cases bbacpp to fail	D200090456	13
	64381S004	01.10 A switch statement with no statement causes bbacpp to fail	D200090464	14
	64381S004	01.10 Enhance to match changes in standard version of cpp	D200096248	14

- -8

Keyword	Product number	uu.ff Description	Report #	page
*****none*****	64903S004	02.00 Switch to pad elements with a structure to word boundaries instead of q.	5000416248	16

- -8

Keyword	Product number	uu.ff Description	Report #	page
*****none*****	64192S004	01.00 pwd truncates the /net/system portion of the path when RFA'ed to system.	D200080150	17
	64192S004	01.00 Using Emulation across RFA can give incomplete symbol information	D200080762	17
	64192S004	01.00 Relative path names (e.g. ./cmd) should not search PATH	D200081430	17
	64192S004	01.00 Tracelist symbols dissappear.	D200081976	18
	64192S004	01.00 Processes sometimes left running after parent has stopped.	D200082008	18
	64192S004	01.00 Allow file loading without symbol database update.	D200082495	21
	64192S004	01.00 Loading a trace file from a different processor may cause core dump	D200082503	19
	64192S004	01.00 Provide a "display trace default" type of command.	D200082511	22
	64192S004	01.00 Need a home up/down for symbol displays	D200082529	22
	64192S004	01.00 Add status line logging	D200082545	22
	64192S004	01.00 Add "display module_name" command	D200082552	22
	64192S004	01.00 Add "set" command for shell variables (like in pmon)	D200082560	23
	64192S004	01.00 Add scrolling for repetitive traces	D200082586	23
	64192S004	01.00 Load <file> nouupdate without database should give error message.	D200085241	19
	64192S004	01.00 Using simio, then continuing , may not be possible	D200085795	20
	64192S004	01.00 Core dump can happen when displaying guarded memory mnemonic	D200086934	20
	64192S004	01.00 "end" softkey after HP-IB error does not clear command line	D200088104	20
	64192S004	01.00 Code disp. with trace not right if code changed w/o ending emul. session	D200090639	20
	64192S004	01.00 "Copy to Read-Only files", fails to deliver an error message to screen	D200093864	21
	64192S004	01.00 Emulation core dumps when run in a small window.	D200094391	21

- -8

Keyword	Product number	uu.ff Description	Report #	page
*****none*****	64195S004	01.00 Can't load a program into target memory or emul. mem. with slow clock.	1650057893	24
	64195S004	01.00 pwd truncates the /net/system portion of the path when RFA'ed to system.	D200080481	24
	64195S004	01.00 Using Emulation across RFA can give incomplete symbol information	D200080796	24
	64195S004	01.00 Relative path names (e.g. ./cmd) should not search PATH	D200081455	25
	64195S004	01.00 Processes sometimes left running after parent has stopped.	D200082032	25
	64195S004	01.00 Allow file loading without symbol database update.	D200082818	28
	64195S004	01.00 Loading a trace file from a different processor may cause core dump	D200083071	25
	64195S004	01.00 Provide a "display trace default" type of command.	D200083337	28
	64195S004	01.00 Need a home up/down for symbol displays	D200083618	28
	64195S004	01.00 Add status line logging	D200084137	29
	64195S004	01.00 Add "display module_name" command	D200084392	29
	64195S004	01.00 Add "set" command for shell variables (like in pmon)	D200084657	29
	64195S004	01.00 Tracelist symbols dissappear.	D200085852	26
	64195S004	01.00 Using simio, then continuing , may not be possible	D200086249	26

Keyword index

- -8

Keyword	Product number	uu.ff	Description	Report #	page
*****none*****	64195S004	01.00	"end" softkey after HP-IB error does not clear command line	D200088203	26
	64195S004	01.00	Code disp. with trace not right if code changed w/o ending emul. session	D200090662	27
	64195S004	01.00	Emulation core dumps when run in a small window.	D200095513	27
	64195S004	01.00	"Copy to Read-Only files", fails to deliver an error message to screen	D200095802	28

- -8

Keyword	Product number	uu.ff	Description	Report #	page
*****none*****	64194S004	01.00	pwd truncates the /net/system portion of the path when RFA'ed to system.	D200080473	30
	64194S004	01.00	Using Emulation across RFA can give incomplete symbol information	D200080788	30
	64194S004	01.00	Processes sometimes left running after parent has stopped.	D200082024	30
	64194S004	01.00	Allow file loading without symbol database update.	D200082800	33
	64194S004	01.00	Loading a trace file from a different processor may cause core dump	D200083063	31
	64194S004	01.00	Provide a "display trace default" type of command.	D200083329	33
	64194S004	01.00	Need a home up/down for symbol displays	D200083600	34
	64194S004	01.00	Add status line logging	D200084129	34
	64194S004	01.00	Add "display module_name" command	D200084384	34
	64194S004	01.00	Add "set" command for shell variables (like in pmon)	D200084640	35
	64194S004	01.00	Tracelist symbols dissappear.	D200085845	31
	64194S004	01.00	Using simio, then continuing, may not be possible	D200086231	32
	64194S004	01.00	"end" softkey after HP-IB error does not clear command line	D200088195	32
	64194S004	01.00	Code disp. with trace not right if code changed w/o ending emul. session	D200090654	32
	64194S004	01.00	Emulation core dumps when run in a small window.	D200095505	33
	64194S004	01.00	"Copy to Read-Only files", fails to deliver an error message to screen	D200095794	33

- -8

Keyword	Product number	uu.ff	Description	Report #	page
*****none*****	64193S004	01.00	pwd truncates the /net/system portion of the path when RFA'ed to system.	D200080465	36
	64193S004	01.00	Using Emulation across RFA can give incomplete symbol information	D200080770	36
	64193S004	01.00	Relative path names (e.g. ./cmd) should not search PATH	D200081448	36
	64193S004	01.00	Processes sometimes left running after parent has stopped.	D200082016	37
	64193S004	01.00	Allow file loading without symbol database update.	D200082792	40
	64193S004	01.00	Loading a trace file from a different processor may cause core dump	D200083055	37
	64193S004	01.00	Provide a "display trace default" type of command.	D200083311	40
	64193S004	01.00	Need a home up/down for symbol displays	D200083592	40
	64193S004	01.00	Add status line logging	D200084111	40
	64193S004	01.00	Add "display module_name" command	D200084376	41
	64193S004	01.00	Add "set" command for shell variables (like in pmon)	D200084632	41
	64193S004	01.00	Tracelist symbols dissappear.	D200085837	38
	64193S004	01.00	Using simio, then continuing, may not be possible	D200086223	38
	64193S004	01.00	"end" softkey after HP-IB error does not clear command line	D200088187	38
	64193S004	01.00	Code disp. with trace not right if code changed w/o ending emul. session	D200090647	39
	64193S004	01.00	Emulation core dumps when run in a small window.	D200095497	39
	64193S004	01.00	"Copy to Read-Only files", fails to deliver an error message to screen	D200095786	39

- -8

Keyword	Product number	uu.ff	Description	Report #	page
*****none*****	64215S004	01.00	Measurement System end_released when terminal cannot be initialized	D200069401	42
	64215S004	01.00	The Inter-Module-Bus tRigger signal latches when set to drive & receive	D200070557	42

Keyword index

- -8

Keyword	Product number	uu.ff	Description	Report #	page
*****none*****	64215S004	01.00	pwd truncates the /net/system portion of the path when RFA'ed to system.	D200080507	42
	64215S004	01.00	Using Emulation across RFA can give incomplete symbol information	D200080812	43
	64215S004	01.00	Processes sometimes left running after parent has stopped.	D200082081	43
	64215S004	01.00	Allow file loading without symbol database update.	D200082834	46
	64215S004	01.00	Loading a trace file from a different processor may cause core dump	D200083097	44
	64215S004	01.00	Provide a "display trace default" type of command.	D200083352	47
	64215S004	01.00	Need a home up/down for symbol displays	D200083634	47
	64215S004	01.00	Add status line logging	D200084152	47
	64215S004	01.00	Add "display module_name" command	D200084418	47
	64215S004	01.00	Add "set" command for shell variables (like in pmon)	D200084673	48
	64215S004	01.00	Tracelist symbols dissappear.	D200085902	44
	64215S004	01.00	Using simio, then continuing , may not be possible	D200086298	44
	64215S004	01.00	"end" softkey after HP-IB error does not clear command line	D200088252	45
	64215S004	01.00	Code disp. with trace not right if code changed w/o ending emul. session	D200090712	45
	64215S004	01.00	Read memory causes long breaks into background.	D200094615	46
	64215S004	01.00	Emulation core dumps when run in a small window.	D200095562	46
	64215S004	01.00	"Copy to Read-Only files", fails to deliver an error message to screen	D200095851	46

- -8

Keyword	Product number	uu.ff	Description	Report #	page
*****none*****	64216S004	01.00	Measurement System end released when terminal cannot be initialized	D200069419	49
	64216S004	01.00	pwd truncates the /net/system portion of the path when RFA'ed to system.	D200080515	49
	64216S004	01.00	Using Emulation across RFA can give incomplete symbol information	D200080820	49
	64216S004	01.00	The Inter-Module-Bus trigger signal latches when set to drive & receive	D200081851	50
	64216S004	01.00	Processes sometimes left running after parent has stopped.	D200082099	50
	64216S004	01.00	Allow file loading without symbol database update.	D200082842	53
	64216S004	01.00	Loading a trace file from a different processor may cause core dump	D200083105	50
	64216S004	01.00	Provide a "display trace default" type of command.	D200083360	53
	64216S004	01.00	Need a home up/down for symbol displays	D200083642	53
	64216S004	01.00	Add status line logging	D200084160	54
	64216S004	01.00	Add "display module_name" command	D200084426	54
	64216S004	01.00	Add "set" command for shell variables (like in pmon)	D200084681	54
	64216S004	01.00	Tracelist symbols dissappear.	D200085910	51
	64216S004	01.00	Using simio, then continuing , may not be possible	D200086306	51
	64216S004	01.00	"end" softkey after HP-IB error does not clear command line	D200088260	52
	64216S004	01.00	Code disp. with trace not right if code changed w/o ending emul. session	D200090720	52
	64216S004	01.00	Emulation core dumps when run in a small window.	D200095570	52
	64216S004	01.00	"Copy to Read-Only files", fails to deliver an error message to screen	D200095869	53

- -8

Keyword	Product number	uu.ff	Description	Report #	page
*****none*****	64360S004	00.00	Window Resize performance inconsistant at screen boundaries.	D200094573	55

- -0

Keyword	Product number	uu.ff	Description	Report #	page
*****none*****	64764S006	01.02	Searching a large memory address range can hang system	D200095042	56
	64764S006	01.02	ctl-z is ignored one time upon entry into fui	D200096289	56
	64764S006	01.02	Adding emsetspecrun and emspectrace, and changing emspecrun	D200096305	56

Keyword index

- -0

Keyword	Product number	uu.ff Description	Report #	page
*****none*****	64764S006	01.02 Unable to use filename.a:symbol as a valid local symbol	D200096339	56
	64764S006	01.02 Entering memory address could hang system	D200096362	56
	64764S006	01.02 Ranging during analysis spec screen may hang system	D200096396	56

- -0

Keyword	Product number	uu.ff Description	Report #	page
*****none*****	64765S006	01.00 Invalid COM port in 64700tab file	D200093427	57

- -0

Keyword	Product number	uu.ff Description	Report #	page
*****none*****	64264S004	01.00 "Core dumps" when displaying user memory<odd address> blocked word.	5000280750	58
	64264S004	01.00 Measurement System end released when terminal cannot be initialized	D200069575	58
	64264S004	01.00 Msg "Monitor must reside in emul pgm mem" is flaky	D200075788	58
	64264S004	01.00 Monitor is not recognized when overwritten, re-entered after "end-lock".	D200077438	58
	64264S004	01.00 pwd truncates the /net/system portion of the path when RFA'ed to system.	D200080689	59
	64264S004	01.00 Using Emulation across RFA can give incomplete symbol information	D200080986	59
	64264S004	01.00 The Inter-Module-Bus trigger signal latches when set to drive & receive	D200081935	59
	64264S004	01.00 Processes sometimes left running after parent has stopped.	D200082263	60
	64264S004	01.00 Emulator end_releases when displaying int. data mem. repet. at odd addr.	D200082453	60
	64264S004	01.00 Allow file loading without symbol database update.	D200083014	62
	64264S004	01.00 Loading a trace file from a different processor may cause core dump	D200083279	60
	64264S004	01.00 Provide a "display trace default" type of command.	D200083535	62
	64264S004	01.00 Need a home up/down for symbol displays	D200083816	63
	64264S004	01.00 Add status line logging	D200084335	63
	64264S004	01.00 Add "display module_name" command	D200084590	63
	64264S004	01.00 Add "set" command for shell variables (like in pmon)	D200084855	63
	64264S004	01.00 "modify memory" command results in an "end release".	D200084913	61
	64264S004	01.00 Using simio, then continuing, may not be possible	D200086405	61
	64264S004	01.00 "end" softkey after HP-IB error does not clear command line	D200088369	61
	64264S004	01.00 Code disp. with trace not right if code changed w/o ending emul. session	D200090894	61

- -M

Keyword	Product number	uu.ff Description	Report #	page
*****none*****	64787S006	01.01 ctl-z is ignored one time upon entry into fui	D200095034	65
	64787S006	01.01 Adding emsetspecrun and emspectrace, and changing emspectrun	D200096313	65
	64787S006	01.01 Unable to use filename.a:symbol as a valid local symbol	D200096347	65
	64787S006	01.01 Entering memory address could hang system	D200096370	65
	64787S006	01.01 Ranging during analysis spec screen may hang system	D200096404	65
	64787S006	01.01 Searching a large memory address range can hang system	D200096438	65

- -8

Keyword	Product number	uu.ff Description	Report #	page
*****none*****	64753S006	01.01 ctl-z is ignored one time upon entry into fui	D200096271	66
	64753S006	01.01 Adding emsetspecrun and emspectrace, and changing emspectrun	D200096297	66
	64753S006	01.01 Unable to use filename.a:symbol as a valid local symbol	D200096321	66
	64753S006	01.01 Entering memory address could hang system	D200096354	66

Keyword index

- -8

Keyword	Product number	uu.ff Description	Report #	page
*****none*****	64753S006	01.01 Ranging during analysis spec screen may hang system	D200096388	66
	64753S006	01.01 Searching a large memory address range can hang system	D200096420	66

- -8

Keyword	Product number	uu.ff Description	Report #	page
*****none*****	64253S004	01.00 "run until" uses trace before <trigger>, it should trace about <trigger>	5000174557	71
	64253S004	01.00 With no absolute file loaded, "syntax error" is given for symbol access.	5000191395	72
	64253S004	01.00 Display io_port repetitively blocked words sometimes hangs the terminal	5000407874	67
	64253S004	01.00 Measurement System end released when terminal cannot be initialized	D200069559	67
	64253S004	01.00 pwd truncates the /net/system portion of the path when RFA'ed to system.	D200080663	67
	64253S004	01.00 Using Emulation across RFA can give incomplete symbol information	D200080960	68
	64253S004	01.00 The Inter-Module-Bus trigger signal latches when set to drive & receive	D200081919	68
	64253S004	01.00 Processes sometimes left running after parent has stopped.	D200082248	68
	64253S004	01.00 Allow file loading without symbol database update.	D200082990	72
	64253S004	01.00 Loading a trace file from a different processor may cause core dump	D200083253	69
	64253S004	01.00 Provide a "display trace default" type of command.	D200083519	72
	64253S004	01.00 Need a home up/down for symbol displays	D200083790	72
	64253S004	01.00 Add status line logging	D200084319	73
	64253S004	01.00 Add "display module_name" command	D200084574	73
	64253S004	01.00 Add "set" command for shell variables (like in pmon)	D200084830	73
	64253S004	01.00 Tracelist symbols dissappear.	D200086041	69
	64253S004	01.00 Using simio, then continuing, may not be possible	D200086389	70
	64253S004	01.00 "end" softkey after HP-IB error does not clear command line	D200088344	70
	64253S004	01.00 Code disp. with trace not right if code changed w/o ending emul. session	D200090878	70
	64253S004	01.00 Source lines missing from absolute trace display	D200093831	71
	64253S004	01.00 "GOOD" Emulation hardware may "FAIL PV".	D200093989	71

SRB detail reports as of 11/04/88 Page: 1
Number: 5000279067 Product: 64000-UX OP-ENV 300 64801S004 02.20

One-line description:
Vt200 and vt220 terminfo files change the behavior of vi.

Problem:
The 1.10 of the vt220 and vt200 terminfo files changed the sequences sent by the up, down, left and right cursor keys. These changes prevent the proper use of these keys when in vi. The definitions for the keys are improperly set to:
kcuu1=\E[B kcub1=\E[D kcufl=\E[C kcuul=\E[A

changing these to:

kcuu1=\E0B kcub1=\E0D kcufl=\E0C kcuul=\E0A

allows the cursor keys to be used.

A change to the terminfo files has been made and will be released with the next software shipment.

Signed off 10/28/88 in release A02.30

Number: D200087445 Product: 64000-UX OP-ENV 300 64801S004 02.20

One-line description:
Option_test does not support set (environmental variable) command

Problem:
Detailed Listing for Defect Number LSDqf02728
Text:
option_test does not support set (environmental variable) command

In keeping with the emulation upgrade, option_test should support the set command, which sets an environmental variable...

This is being added now, in the files layer0/grammar/scanner.c and layre0/grammar/optgram.y.

- Bruce E

Temporary solution:
no temporary solution at this time.

Signed off 10/28/88 in release A02.30

Number: D200091280 Product: 64000-UX OP-ENV 300 64801S004 01.80

One-line description:
"makecdf(1)" error may occur in msinit on a new discless cluster

Problem:
When "msinit -s" is run on a newly created discless cluster, the user may see the following message:

- -4

SRB detail reports as of 11/04/88 Page: 2
makecdf: /usr/hp64000/etc: Permission denied

Temporary solution:
When a new discless cluster is brought up, "msinit -s" should be executed by the super-user first before any other users try to to execute it. Subsequent executions of "msinit [-s]" by non-super-users should work without failure.

Signed off 10/21/88 in release A02.30

Number: 1650053652 Product: 64000-UX OP-ENV 300 64801S004 02.30

One-line description:
edbuild w/ ols compiler takes too long when code exceeds seg boundaries.

Problem:
using the 8088 ols compiler for a program which is about 52kbytes in size edbuild takes more than one hour if segment boundaries are exceeded. When the code does not exceed segment boundaries edbuild performs normally (only a few minutes) for the same program. -h option with factor 6 does only help a bit, edbuild then takes 51 min instead of over one hour.

Signed off 10/28/88 in release A02.30

Number: D200080119 Product: 64000-UX OP-ENV 300 64801S004 01.60

One-line description:
HP64000-UX puts terminfo files in HP-UX reserved place

Problem:
64-UX product puts some of its files in an HP-UX reserved place. The TERMINFO files are placed in /usr/lib/terminfo/?/ even though there is a mechanism to support customized TERMINFO files via the environment variable TERMINFO. This is a misuse of root priv. to install software. This can overwrite the users TERMINFO entry and is a source of confusion since a user later thinks that these entries are shipped with standard HP-UX.

Temporary solution:
Since the entries shipped with HP64000-UX have unique names that are not part of HP-UX, there is no concern over writing over existing entries unless the user has put terminfo entries into the /usr/lib/terminfo directory. If the user has put his own entries into the /usr/lib/terminfo directory, they should not have the following names so that installing HP 64000-UX will not overwrite their entries.

/usr/lib/terminfo/f/fansi
/usr/lib/terminfo/f/fansi-rv
/usr/lib/terminfo/v/vt100a
/usr/lib/terminfo/v/vt101a
/usr/lib/terminfo/v/vt102a
/usr/lib/terminfo/v/vt131a
/usr/lib/terminfo/v/vt200
/usr/lib/terminfo/v/vt220

Signed off 10/21/88 in release A02.30

- -4

Number: D200093153 Product: 64000-UX OP-ENV 300 64801S004 01.80

One-line description:
New names of 64801 partitions cause mass confusion

Problem:

The new revision, 2.20, of 64801S004 has been created without any system/64801/{productrev,revfile,customize} files. Yes, I know that they are all in system/640PSYS, but the lack will create a large supportability problem. Why don't we link the two directories? Also, the system/640PSYS/customize script doesn't get rid of the old system/64801/productrev file, so after the update, it looks like nothing happened (because Phyllis Smith and myself are the only two people in the world who know that system/640PSYS got updated and not system/64801).

dag

Signed off 10/21/88 in release A02.30

Number: D200095000 Product: 68000 12MHZ EMUL DOS 64742S006 01.01

One-line description:
Unable to use filename.a:symbol as a valid local symbol

Signed off 11/04/88 in release A01.02

Number: D200095018 Product: 68000 12MHZ EMUL DOS 64742S006 01.01

One-line description:
Entering memory address could hang system

Signed off 11/04/88 in release A01.02

Number: D200095026 Product: 68000 12MHZ EMUL DOS 64742S006 01.01

One-line description:
Ranging during analysis spec screen may hang system

Signed off 11/04/88 in release A01.02

Number: D200096263 Product: 68000 12MHZ EMUL DOS 64742S006 01.07

One-line description:
ctl-z is ignored one time upon entry into fui

Signed off 11/04/88 in release A01.02

Number: D200096412 Product: 68000 12MHZ EMUL DOS 64742S006 01.07

One-line description:
Searching a large memory address range can hang system

Signed off 11/04/88 in release A01.02

Number: D200094995 Product: 68000 12MHZ EMUL DOS 64742S006 01.01

One-line description:
Adding emsetspecrun and emspectrace, and changing emspecrun

Signed off 11/04/88 in release A01.02

Number: D200090498 Product: 68000 BBA 300 64380S004 01.00

One-line description:

Complex conditional assignment delcarations cause bbacpp to core dump

Problem:

Detailed Listing for Defect Number LSDqf03782

Text:

complex conditional assignment declarations cause bbacpp to core dump

Some complex conditional assignments will cause bbacpp to core dump if they are in declaration statements. For example:

```
main()
{
  int digit = 6 - {(__ctype[c]&01) ? '0' : ((__ctype[c]&02)
                  ? 'A' - 10)
                  : ('a' - 10)};
}

```

Causes a problem.

Temporary solution:

Move the assignment statement out of the of declaration:

```
main()
{
  int digit;
  digit = 6 - {(__ctype[c]&01) ? '0' : ((__ctype[c]&02)
                  ? 'A' - 10)
                  : ('a' - 10)};
}

```

Signed off 10/27/88 in release A01.10

Number: D200090506 Product: 68000 BBA 300 64380S004 01.00

One-line description:

Switch statement followed immediately by a label causes bbacpp to fail

Problem:

06/02/88 LSD STARS DTS LINK COPIED FROM D200090456 64381S004

Detailed Listing for Defect Number LSDqf03784

Text:

switch statement followed immediately by a label causes bbacpp to fail

If a switch statement of the form

```
switch(var)
label:
  if (alpha)
  {
    case 5 :
      alpha++;
  }

```

is encountered, bbacpp will generate incorrect code that changes the

logic of the program. Note that this is a *very* unusual construct.

Workaround:

Place braces around the label:

```
switch(var)
{
  label: /* added brace */
  if (alpha)
  {
    case 5 :
      alpha++;
  }
} /* added brace */

```

Temporary solution:

Place braces around the label:

```
switch(var)
{
  label: /* added brace */
  if (alpha)
  {
    case 5 :
      alpha++;
  }
} /* added brace */

```

Signed off 10/27/88 in release A01.10

Number: D200090514 Product: 68000 BBA 300 64380S004 01.00

One-line description:

A switch statement with no statement causes bbacpp to fail

Problem:

Detailed Listing for Defect Number LSDqf03785

Text:

a switch statement with no statement causes bbacpp to fail

If a switch statement of the form

```
switch(5) ;
```

is encountered by bbacpp, bbacpp will issue an incorrect warning and refuse to continue parsing the file.

Note that this statement is somewhat non-sensical; there are no 'case' statements for the switch to go to.

Temporary solution:

No workaround is needed.

Signed off 10/27/88 in release A01.10

SRB detail reports as of 11/04/88

Page: 7

Number: D200096222 Product: 68000 BBA 300 64380S004 01.00

One-line description:
Enhance to match changes in standard version of cpp

Problem:

Detailed Listing for Defect Number LSDqf05035

Text:

Enhance to match changes in standard version of cpp

.....
Please enhance bbacpp to match current status of standard cpp.

A1, .
Please bypass marketing review etc., and put the defects
directly into QA status.

This defect effects the 64380 and 64381 option 4.

Signed off 10/27/88 in release A01.10

SRB detail reports as of 11/04/88

Page: 8

Number: 1650055251 Product: 68000C AXLS COMP 300 64902S004 01.00

One-line description:
Option for inverse C code only works if it is specified first.

Problem:

The option for surrounding the C source statements in the
output listing with inverse video escape sequences only
works if it specified as the first option.

Eg:

cc68000 -Lac -WL,ti simple.c #OK will generate inverse video

cc68000 -Lac -WL,it simple.c #BAD won't " " "

Temporary solution:

There is no workaround available.

Signed off 10/27/88 in release A02.10

Number: 1650070805 Product: 68000C AXLS COMP 300 64902S004 02.00

One-line description:

Lister fails if number of #include's is > ~57.

Problem:

The lister doesn't start closing any #include files until
it has read all of the files. This practice can cause the
HPUX open file limit to be reached.

Temporary solution:

None.

This is repaired in the next release, 2.10.

Signed off 10/31/88 in release A02.10

Number: 5000292375 Product: 68000C AXLS COMP 300 64902S004 02.00

One-line description:

-o option passed to the assembler is always listed last on command line.

Problem:

Using the verbose option in the cc68000 command shows that the -o
option is passed to the assembler, but the default -o option is
always listed last on the command line. For example, for the command
"cc68000 -hc -Wa,-ofile.out file.c" the command line generated by the
assembler is "as68k -H file.A -ofile.out -o file.o /tmp/...", thus the
default .o file is always generated.

Temporary solution:

None.

Signed off 10/27/88 in release A02.10

Number: 5000403014 Product: 68000C AXLS COMP 300 64902S004 02.00

One-line description:
Nested function calls create dynamic memory error.

Problem:
A COMPLEX, NESTED FUNCTION CALL RESULTS IN DYNAMIC MEMORY ERROR.
EXAMPLE:

```

    functa (&a1,a=
    functa (&b1,b=
    functa (&c1,c=
        :
        :
    functa (&y1,y=vari)))...);

```

THE FUNCTION CALL IS NESTED 22 LEVELS. THE ERROR MESSAGES PRODUCED ARE:

```

"250536: Warning - confusing line directive may affect debug info."
and "Asked for too much dynamic memory. Asked = 463820 Max = 8192."

```

Signed off 10/27/88 in release A02.10

Number: 5000410688 Product: 68000C AXLS COMP 300 64902S004 02.00

One-line description:
#define's do not get expanded properly inside of #pragma ASM's

```

Problem:
#define X 1

main()
{
#pragma ASM
    move.l X,d0    <= expanded to  move.l 1X,d0
#pragma END_ASM
}

```

Temporary solution:
None.

Signed off 10/27/88 in release A02.10

Number: D200092163 Product: 68000C AXLS COMP 300 64902S004 01.00

Keywords: CODE GENERATOR

One-line description:
'Cannot open file' message coming from lister, if open many includes.

Problem:
The lister will issue the following message: 'Cannot open file'
under the following circumstances:

- File A includes many files, which may in turn include many files, and the number of files included is larger than 54, and file A

is still open

- None of the include files generate assembly code. (In other words, include files that only define variables, will cause this problem).
ODE TRAILER LINE

Temporary solution:
Change include files to include less than 54 files, as they branch out from original include, or put in some dummy code to cause lister to close files.

Signed off 10/27/88 in release A02.10

Number: D200093013 Product: 68000C AXLS COMP 300 64902S004 01.00

One-line description:
C++ looks in the wrong directory for local include files.

Problem:
When searching for relative local include files (those specified with quotes which don't begin with a '/') C++ always searches relative to the directory the original C source file is in. C++ should be searching relative to the directory that the file doing the including is in. In the following example, C++ won't find t1.h when it should.

Example:

```

File t.c contains:
#include "temp/t.h"

```

```

File temp/t.h contains:
#include "t1.h"

```

```

File temp/t1.h contains:
int i;

```

Temporary solution:
Use full path names.

Signed off 10/27/88 in release A02.10

Number: D200093039 Product: 68000C AXLS COMP 300 64902S004 01.00

One-line description:
C++ requires white space after #define macro name.

Problem:
The following case is currently errored by C++ for having an illegal macro name.

```
#define abc/def 1
```

The ANSI draft doesn't indicate an error in this case. The result should be a macro "abc" defined to be "/def 1".

Temporary solution:
None.

Signed off 10/27/88 in release A02.10

 Number: D200093948 Product: 68000C AXLS COMP 300 64902S004 02.00

One-line description:

INT_MIN and LONG_MIN macros produce constants of the wrong type.

Problem:

The macros INT_MIN and LONG_MIN produce constants that have unsigned type. Thus the expression INT_MIN >> 1 is not negative, it is positive.

Temporary solution:

None.

Signed off 10/27/88 in release A02.10

 Number: D200093963 Product: 68000C AXLS COMP 300 64902S004 02.00

One-line description:

An assert () call prior to an else statement may cause improper grouping

Problem:

The following code segment will not compile correctly:

```

if (expr)
    assert(expr != 0);
else
    stmts.....
  
```

The problem is that the assert() macro is composed of an if statement without an else clause. The 'else' in the code fragment will be grouped with the 'if' that comes from the assert macro.

The problem only occurs when an assert call is the only statement in the 'then' clause of an if statement. This situation is very unlikely.

Temporary solution:

None.

Signed off 10/27/88 in release A02.10

 Number: D200093443 Product: 68010 16MHZ EMUL DOS 64745S006 01.01

One-line description:

Invalid COM port in 64700tab file

Problem:

There is an invalid COM port in the 64700ta b file. The second COM port in the 64700tab file should be COM2 instead of COM1.

Temporary solution:

There is no workaround available.

Signed off 11/04/88 in release A01.02

 Number: D200096453 Product: 68010 16MHZ EMUL DOS 64745S006 01.01

One-line description:

Unable to use filename.a:symbol as a valid local symbol

Signed off 11/04/88 in release A01.02

 Number: D200096461 Product: 68010 16MHZ EMUL DOS 64745S006 01.01

One-line description:

Entering memory address could hang system

Signed off 11/04/88 in release A01.02

 Number: D200096479 Product: 68010 16MHZ EMUL DOS 64745S006 01.01

One-line description:

ctl-z is ignored one time upon entry into fui

Signed off 11/04/88 in release A01.02

 Number: D200096487 Product: 68010 16MHZ EMUL DOS 64745S006 01.01

One-line description:

Ranging during analysis spec screen may hang system

Signed off 11/04/88 in release A01.02

 Number: D200096495 Product: 68010 16MHZ EMUL DOS 64745S006 01.01

One-line description:

Searching a large memory address range can hang system

Signed off 11/04/88 in release A01.02

 Number: D200096446 Product: 68010 16MHZ EMUL DOS 64745S006 01.01

One-line description:

Adding emsetspecrun and emspectrace, and changing emspecrun

Signed off 11/04/88 in release A01.02

Number: D200090449 Product: 68020 BBA 300 64381S004 01.10

One-line description:
Complex conditional assignment delcarations cause bbacpp to core dump

Problem:
Detailed Listing for Defect Number LSDqf03782

Text:
complex conditional assignment declarations cause bbacpp to core dump

Some complex conditional assignments will cause bbacpp to core dump if they are in declaration statements. For example:

```
main()
{
  int digit = 6 - ((__ctype[c]&01) ? '0' : ((__ctype[c]&02)
    ? 'A' - 10)
    : ('a' - 10));
}
```

Causes a problem.

Temporary solution:
Move the assignment statement out of the declaration:

```
main()
{
  int digit;

  digit = 6 - ((__ctype[c]&01) ? '0' : ((__ctype[c]&02)
    ? 'A' - 10)
    : ('a' - 10));
}
```

Signed off 10/27/88 in release A01.20

Number: D200090456 Product: 68020 BBA 300 64381S004 01.10

One-line description:
Switch statement followed immediately by a label cases bbacpp to fail

Problem:
Detailed Listing for Defect Number LSDqf03784

Text:
switch statement followed immediately by a label cases bbacpp to fail

If a switch statement of the form

```
switch(var)
label:
{
  if (alpha)
  {
    case 5 :
      alpha++;
  }
}
```

is encountered, bbacpp will generate incorrect code that changes the

logic of the program. Note that this is a *very* unusual construct.

Temporary solution:
Place braces around the label:

```
switch(var)
{
  /* added brace */
  label:
  {
    if (alpha)
    {
      case 5 :
        alpha++;
    }
  }
  /* added brace */
}
```

Signed off 10/27/88 in release A01.20

Number: D200090464 Product: 68020 BBA 300 64381S004 01.10

One-line description:
A switch statement with no statement causes bbacpp to fail

Problem:

Detailed Listing for Defect Number LSDqf03785

Text:
a switch statement with no statement causes bbacpp to fail

If a switch statement of the form

```
switch(5) ;
```

is encountered by bbacpp, bbacpp will issue an incorrect warning and refuse to continue parsing the file.

Note that this statement is somewhat non-sensical; there are no 'case' statements for the switch to go to.

Temporary solution:
No workaround is needed.

Signed off 10/27/88 in release A01.20

Number: D200096248 Product: 68020 BBA 300 64381S004 01.10

One-line description:
Enhance to match changes in standard version of cpp

Problem:
Detailed Listing for Defect Number LSDqf05035

Text:
Enhance to match changes in standard version of cpp
.....
Please enhance bbacpp to match current status of standard cpp.

A1, Please bypass marketing review etc., and put the defects directly into QA status.

This defect effects the 64380 and 64381 option 4.

Signed off 10/27/88 in release A01.20

Number: 5000416248 Product: 68020C AXLS COMP 300 64903S004 02.00

One-line description:

Switch to pad elements with a structure to word boundaries instead of q.

Problem:

Variables of size four bytes or larger are considered to be quad-aligned. Padding will be inserted in structures to make quad-aligned variables start on quad-boundaries. Padding will be similarly inserted for word-aligned variables.

Temporary solution:

If the elimination of padding to save space is a consideration, variables within structures may be rearranged such as:

```
struct { char a;      =>      struct { int i;
        int i;         char a;
        char b;       char b;
        };             };

```

If the padding is a problem because external hardware expects word-alignment, bitfields are non-aligned and may be used such as:

```
struct { char a;      =>      struct { char a;
        int i;         char dummy;
        }              int i:32;
                        }

```

TTFN

Signed off 11/04/88 in release A02.11

Number: D200080150 Product: 6805 U&R EMUL 300 64192S004 01.00

One-line description:

pwd truncates the /net/system portion of the path when RFA'ed to system.

Problem:

When using the HP 64000-UX products and netnaming across the LAN to another system, such as a compile server, the HP-UX command "pwd" which is used by the HP64000-UX product to tell what the local directory is, truncates the "/net/system" part of the path.

This is a HP-UX operating system defect. It is not a defect in the HP 64000-UX application software. As soon as this defect is fixed in HP-UX, it will work correctly when using the HP 64000-UX applications.

Signed off 11/04/88 in release A01.10

Number: D200080762 Product: 6805 U&R EMUL 300 64192S004 01.00

One-line description:

Using Emulation across RFA can give incomplete symbol information

Problem:

Accessing symbol data in a remote file across RFA may result in incomplete symbol information being available. This problem is a result of read() calls being interrupted during file access over RFA.

This problem can also affect reading absolute data into memory as well.

Temporary solution:

If this problem occurs while loading absolute data, attempting to reload the file again may work.

There are two possible answers to this problem. The first is to move the .Y file to the machine running the emulator.

The second solution is to move the program object to the machine which is running the emulator. This can be done using the get64 program. When you load the emulator, a new .Y file will be created.

Signed off 11/04/88 in release A01.10

Number: D200081430 Product: 6805 U&R EMUL 300 64192S004 01.00

One-line description:

Relative path names (e.g. ./cmd) should not search PATH

Problem:

A new feature was added to the core feature set to search for command files using the users PATH variable for a search path. A defect has been introduced such that specifying a relative path with a command file still has the command file looked for in the search path.

Relative path names should override the PATH variable like they do in a standard shell. Only names not containing any '/' should be searched for using PATH. All others (especially ./name) should be used relative to the current directory.

Temporary solution:

Specify command files with full path names if the application is unable to find your command file.

Signed off 11/04/88 in release A01.10

Number: D200081976 Product: 6805 U&R EMUL 300 64192S004 01.00

One-line description:

Tracelist symbols dissappear.

Problem:

The symbols will not be displayed in the trace list if the following commands are executed:

1. display trace absolute symbols on
2. end ; end locks the emulation session
3. <system name> <module name> ; continues the emulation session
4. display trace

The symbols will not be displayed even if you try to re-execute step number 1.

Temporary solution:

Perform the following steps after executing steps 1-4 listed in the problem text.

5. display trace mnemonic
6. display trace absolute

Signed off 11/04/88 in release A01.10

Number: D200082008 Product: 6805 U&R EMUL 300 64192S004 01.00

One-line description:

Processes sometimes left running after parent has stopped.

Problem:

Sometimes, when the parent process to a measurement system is killed some of the measurement systems processes are left running. Please change the behaviour of the products so that these processes die nicely.

Temporary solution:

If the tty associated with the process is a pty, then you can release the processes by

```
cat < ptyxx
```

This causes the pending output to be flushed, and the processes will die naturally.

Signed off 11/04/88 in release A01.10

Number: D200082503 Product: 6805 U&R EMUL 300 64192S004 01.00

One-line description:
Loading a trace file from a different processor may cause core dump

Problem:
If a trace file is created with "store trace" on a processor that allows multiple analysis modes with some mode other than the default, then is loaded by a processor with only one mode, a core dump will result. A good example is storing an execution mode trace on the dequeued 68000, then trying to load the trace on the non-dequeued 68000.

Temporary solution:
Do not attempt to load a trace file for a mode that is not supported.

Signed off 11/04/88 in release A01.10

Number: D200085241 Product: 6805 U&R EMUL 300 64192S004 01.00

One-line description:
Load <file> nouupdate without database should give error message.

Problem:
Load <file> nouupdate without database should give error message

The following load command gives a somewhat confusing result if no database (file.Y) exists:

```
load <file> nouupdate
```

The nouupdate command says to not rebuild the edb database if it is out of date. If no database exists the result is that the absolute file gets loaded, without any warning or error message, and any old symbols get destroyed. The correct response should be to at least issue the following warning message - "No database: file".

This enhancement request should be expanded to all of the PII emulators.

Signed off 11/04/88 in release A01.10

Number: D200085795 Product: 6805 U&R EMUL 300 64192S004 01.00

One-line description:
Using simio, then continuing , may not be possible

Problem:

If simio is used extensively, then the user attempts to end and reenter emulation, reentry will not be possible, and there will be a continuous error message stating that the 64120 will not accept a download. This is a problem with emulation core, and exists in all emulators.

Signed off 11/04/88 in release A01.10

Number: D200086934 Product: 6805 U&R EMUL 300 64192S004 01.00

One-line description:
Core dump can happen when displaying guarded memory mnemonic

Signed off 11/04/88 in release A01.10

Number: D200088104 Product: 6805 U&R EMUL 300 64192S004 01.00

One-line description:
"end" softkey after HP-IB error does not clear command line

Problem:
If there is an HP-IB error and the "end" softkey appears, the command line will not be cleared on any keystroke like it normally is. In addition there have been instances where NO keystroke would work and the "end" softkey was inoperable, nothing could be typed on the command line. The exit was to kill the process from another terminal. This problem exists for all HP64000-UX emulators built with /lsd/p2/cmd/emul/gencore.

Signed off 11/04/88 in release A01.10

Number: D200090639 Product: 6805 U&R EMUL 300 64192S004 01.00

One-line description:
Code disp. with trace not right if code changed w/o ending emul. session

Problem:
Source lines displayed with a trace may not be correct if the code is changed without ending out of the emulation session. For example, a user running is windows does a display trace source on, and sees a statement: i = 1; in the trace along with the MOVE.L #1,D0 that accompanies that source line. The user then moves to another window, changes the source line to i = 2;, recompiles, relinks, and runs edbuild. The user then moves back to the emulation window, reloads the file, and reruns the code and the trace. The trace shows MOVE.L #2,D0 as expected, BUT shows i = 1; as the source line.

End out of emulation, and reenter before loading the new program
Source lines displayed with a trace may not be correct if the code is changed without ending out of the emulation session.

For example, a user running is windows does a display trace source on, and sees a statement: i = 1; in the trace along with the MOVE.L #1,D0 that accompanies that source line. The user then moves to another window, changes the source line to i = 2;, recompiles, relinks, and runs edbuild. The user then moves back to the emulation window, reloads the file, and reruns the code and the trace. The trace shows MOVE.L #2,D0 as expected, BUT shows i = 1; as the source line.

Temporary solution:

End out of emulation, and reenter before loading the new program or executing the trace.

Signed off 11/04/88 in release A01.10

Number: D200093864 Product: 6805 U&R EMUL 300 64192S004 01.00

One-line description:

"Copy to Read-Only files", fails to deliver an error message to screen

Problem:

If an attempt is made to use the copy command to write to read only file the command fails silently. The error message "permission denied" never shows up.

Signed off 11/04/88 in release A01.10

Number: D200094391 Product: 6805 U&R EMUL 300 64192S004 01.00

One-line description:

Emulation core dumps when run in a small window.

Problem:

When emulation is run in a small window, it end releases before the status line comes up and generates a core file. It should leave the emulator locked and display a message, "Display size is too small".

Signed off 11/04/88 in release A01.10

Number: D200082495 Product: 6805 U&R EMUL 300 64192S004 01.00

One-line description:

Allow file loading without symbol database update.

Problem:

Would like to be able to load a file without changing the symbol database.

Temporary solution:

No workaround at this time.

Signed off 11/04/88 in release A01.10

Number: D200082511 Product: 6805 U&R EMUL 300 64192S004 01.00

One-line description:

Provide a "display trace default" type of command.

Problem:

Provide a "display trace default" type command to display the current trace with default trace display settings.

Temporary solution:

No workaround.

Signed off 11/04/88 in release A01.10

Number: D200082529 Product: 6805 U&R EMUL 300 64192S004 01.00

One-line description:

Need a home up/down for symbol displays

Problem:

Add home up/down capability to symbol displays.

Temporary solution:

None at this time.

Signed off 11/04/88 in release A01.10

Number: D200082545 Product: 6805 U&R EMUL 300 64192S004 01.00

One-line description:

Add status line logging

Problem:

Add ability to log status line information to a file or buffer so the user could go back and check for messages that may have flashed by too quickly to be read.

Temporary solution:

None at this time.

Signed off 11/04/88 in release A01.10

Number: D200082552 Product: 6805 U&R EMUL 300 64192S004 01.00

One-line description:

Add "display module_name" command

Problem:

Add "display module_name" command so the user can easily tell which of several of the same processor he is running at any given time.

Temporary solution:

None at this time.

Signed off 11/04/88 in release A01.10

Number: D200082560 Product: 6805 U&R EMUL 300 64192S004 01.00

One-line description:

Add "set" command for shell variables (like in pmon)

Problem:

Since the softkey package now supports shell variable expansion, add a "set" command to emulation for creating shell variables. This feature already exists in pmon.

Temporary solution:

Set shell variables in the shell or in pmon before entering emulation.

Signed off 11/04/88 in release A01.10

Number: D200082586 Product: 6805 U&R EMUL 300 64192S004 01.00

One-line description:

Add scrolling for repetitive traces

Problem:

Add ability to scroll (up/down/left/right) during a repetitive trace. Currently, the keys are inactive since they don't work while a trace is in process, and that is always the case for a repetitive trace. What should happen is that the keystroke(s) are stored until the current trace comes complete, at which time they will be processed.

Temporary solution:

None at this time.

Signed off 11/04/88 in release A01.10

Number: 1650057893 Product: 6805 E EMUL 300 64195S004 01.00

One-line description:

Can't load a program into target memory or emul. mem. with slow clock.

Problem:

Same as submitter text.

Temporary solution:

There is no workaroud available.

Signed off 11/04/88 in release A01.10

Number: D200080481 Product: 6805 E EMUL 300 64195S004 01.00

One-line description:

pwd truncates the /net/system portion of the path when RFA'ed to system.

Problem:

When using the HP 64000-UX products and netnaming across the LAN to another system, such as a compile server, the HP-UX command "pwd" which is used by the HP64000-UX product to tell what the local directory is, truncates the "/net/system" part of the path.

This is a HP-UX operating system defect. It is not a defect in the HP 64000-UX application software. As soon as this defect is fixed in HP-UX, it will work correctly when using the HP 64000-UX applications.

Signed off 11/04/88 in release A01.10

Number: D200080796 Product: 6805 E EMUL 300 64195S004 01.00

One-line description:

Using Emulation across RFA can give incomplete symbol information

Problem:

Accessing symbol data in a remote file across RFA may result in incomplete symbol information being available. This problem is a result of read() calls being interrupted during file access over RFA.

This problem can also affect reading absolute data into memory as well.

Temporary solution:

If this problem occurs while loading absolute data, attempting to reload the file again may work.

There are two possible answers to this problem. The first is to move the .Y file to the machine running the emulator.

The second solution is to move the program object to the machine which is running the emulator. This can be done using the get64 program. When you load the emulator, a new .Y file will be created.

Signed off 11/04/88 in release A01.10

Number: D200081455 Product: 6805 E EMUL 300 64195S004 01.00

One-line description:
Relative path names (e.g. ./cmd) should not search PATH

Problem:
A new feature was added to the core feature set to search for command files using the users PATH variable for a search path. A defect has been introduced such that specifying a relative path with a command file still has the command file looked for in the search path.

Relative path names should override the PATH variable like they do in a standard shell. Only names not containing any '/' should be searched for using PATH. All others (especially ./name) should be used relative to the current directory.

Temporary solution:
Specify command files with full path names if the application is unable to find your command file.

Signed off 11/04/88 in release A01.10

Number: D200082032 Product: 6805 E EMUL 300 64195S004 01.00

One-line description:
Processes sometimes left running after parent has stopped.

Problem:
Sometimes, when the parent process to a measurement system is killed some of the measurement systems processes are left running. Please change the behaviour of the products so that these processes die nicely.

Temporary solution:
If the tty associated with the process is a pty, then you can release the processes by
cat < ptyxx
This causes the pending output to be flushed, and the processes will die naturally.

Signed off 11/04/88 in release A01.10

Number: D200083071 Product: 6805 E EMUL 300 64195S004 01.00

One-line description:
Loading a trace file from a different processor may cause core dump

Problem:
If a trace file is created with "store trace" on a processor that allows multiple analysis modes with some mode other than the default, then is loaded by a processor with only one mode, a core dump will result. A

good example is storing an execution mode trace on the dequeued 68000, then trying to load the trace on the non-dequeued 68000.

Temporary solution:
Do not attempt to load a trace file for a mode that is not supported.

Signed off 11/04/88 in release A01.10

Number: D200085852 Product: 6805 E EMUL 300 64195S004 01.00

One-line description:
Tracelist symbols dissappear.

Problem:
The symbols will not be displayed in the trace list if the following commands are executed:

1. display trace absolute symbols on
2. end ; end locks the emulation session
3. <system name> <module name> ; continues the emulation session
4. display trace

The symbols will not be displayed even if you try to re-execute step number 1.

Temporary solution:
Perform the following steps after executing steps 1-4 listed in the problem text.

5. display trace mnemonic
6. display trace absolute

Signed off 11/04/88 in release A01.10

Number: D200086249 Product: 6805 E EMUL 300 64195S004 01.00

One-line description:
Using simio, then continuing , may not be possible

Problem:

If simio is used extensively, then the user attempts to end and reenter emulation, reentry will not be possible, and there will be a continuous error message stating that the 64120 will not accept a download. This is a problem with emulation core, and exists in all emulators.

Signed off 11/04/88 in release A01.10

Number: D200088203 Product: 6805 E EMUL 300 64195S004 01.00

One-line description:
"end" softkey after HP-IB error does not clear command line

Problem:
If there is an HP-IB error and the "end" softkey appears, the command

line will not be cleared on any keystroke like it normally is. In addition there have been instances where NO keystroke would work and the "end" softkey was inoperable, nothing could be typed on the command line. The exit was to kill the process from another terminal. This problem exists for all HP6400-UX emulators built with /lsd/p2/cmd/emul/gencore.

Signed off 11/04/88 in release A01.10

Number: D200090662 Product: 6805 E EMUL 300 64195S004 01.00

One-line description:
Code disp. with trace not right if code changed w/o ending emul. session

Problem:

Source lines displayed with a trace may not be correct if the code is changed without ending out of the emulation session. For example, a user running is windows does a display trace source on, and sees a statement: i = 1; in the trace along with the MOVE.L #1,D0 that accompanies that source line. The user then moves to another window, changes the source line to i = 2;, recompiles, relinks, and runs edbuild. The user then moves back to the emulation window, reloads the file, and reruns the code and the trace. The trace shows MOVE.L #2,D0 as expected, BUT shows i = 1; as the source line.

End out of emulation, and reenter before loading the new program Source lines displayed with a trace may not be correct if the code is changed without ending out of the emulation session. For example, a user running is windows does a display trace source on, and sees a statement: i = 1; in the trace along with the MOVE.L #1,D0 that accompanies that source line. The user then moves to another window, changes the source line to i = 2;, recompiles, relinks, and runs edbuild. The user then moves back to the emulation window, reloads the file, and reruns the code and the trace. The trace shows MOVE.L #2,D0 as expected, BUT shows i = 1; as the source line.

Temporary solution:

End out of emulation, and reenter before loading the new program or executing the trace.

Signed off 11/04/88 in release A01.10

Number: D200095513 Product: 6805 E EMUL 300 64195S004 01.00

One-line description:
Emulation core dumps when run in a small window.

Problem:

When emulation is run in a small window, it end releases before the status line comes up and generates a core file. It should leave the emulator locked and display a message, "Display size is too small".

Signed off 11/04/88 in release A01.10

Number: D200095802 Product: 6805 E EMUL 300 64195S004 01.00

One-line description:
"Copy to Read-Only files", fails to deliver an error message to screen

Problem:

If an attempt is made to use the copy command to write to read only file the command fails silently. The error message "permission denied" never shows up.

Signed off 11/04/88 in release A01.10

Number: D200082818 Product: 6805 E EMUL 300 64195S004 01.00

One-line description:
Allow file loading without symbol database update.

Problem:

Would like to be able to load a file without changing the symbol database.

Temporary solution:

No workaround at this time.

Signed off 11/04/88 in release A01.10

Number: D200083337 Product: 6805 E EMUL 300 64195S004 01.00

One-line description:
Provide a "display trace default" type of command.

Problem:

Provide a "display trace default" type command to display the current trace with default trace display settings.

Temporary solution:

No workaround.

Signed off 11/04/88 in release A01.10

Number: D200083618 Product: 6805 E EMUL 300 64195S004 01.00

One-line description:
Need a home up/down for symbol displays

Problem:

Add home up/down capability to symbol displays.

Temporary solution:

None at this time.

Signed off 11/04/88 in release A01.10

SRB detail reports as of 11/04/88

Page: 29

Number: D200084137 Product: 6805 E EMUL 300 64195S004 01.00

One-line description:
Add status line logging

Problem:
Add ability to log status line information to a file or buffer so the user could go back and check for messages that may have flashed by too quickly to be read.

Temporary solution:
None at this time.

Signed off 11/04/88 in release A01.10

Number: D200084392 Product: 6805 E EMUL 300 64195S004 01.00

One-line description:
Add "display module_name" command

Problem:
Add "display module_name" command so the user can easily tell which of several of the same processor he is running at any given time.

Temporary solution:
None at this time.

Signed off 11/04/88 in release A01.10

Number: D200084657 Product: 6805 E EMUL 300 64195S004 01.00

One-line description:
Add "set" command for shell variables (like in pmon)

Problem:
Since the softkey package now supports shell variable expansion, add a "set" command to emulation for creating shell variables. This feature already exists in pmon.

Temporary solution:
Set shell variables in the shell or in pmon before entering emulation.

Signed off 11/04/88 in release A01.10

SRB detail reports as of 11/04/88

Page: 30

Number: D200080473 Product: 6805 G EMUL 300 64194S004 01.00

One-line description:
pwd truncates the /net/system portion of the path when RFA'ed to system.

Problem:
When using the HP 64000-UX products and netnaming across the LAN to another system, such as a compile server, the HP-UX command "pwd" which is used by the HP64000-UX product to tell what the local directory is, truncates the "/net/system" part of the path.

This is a HP-UX operating system defect. It is not a defect in the HP 64000-UX application software. As soon as this defect is fixed in HP-UX, it will work correctly when using the HP 64000-UX applications.

Signed off 11/04/88 in release A01.10

Number: D200080788 Product: 6805 G EMUL 300 64194S004 01.00

One-line description:
Using Emulation across RFA can give incomplete symbol information

Problem:
Accessing symbol data in a remote file across RFA may result in incomplete symbol information being available. This problem is a result of read() calls being interrupted during file access over RFA.

This problem can also affect reading absolute data into memory as well.

Temporary solution:
If this problem occurs while loading absolute data, attempting to reload the file again may work.

There are two possible answers to this problem. The first is to move the .Y file to the machine running the emulator.

The second solution is to move the program object to the machine which is running the emulator. This can be done using the get64 program. When you load the emulator, a new .Y file will be created.

Signed off 11/04/88 in release A01.10

Number: D200082024 Product: 6805 G EMUL 300 64194S004 01.00

One-line description:
Processes sometimes left running after parent has stopped.

Problem:
Sometimes, when the parent process to a measurement system is killed some of the measurement systems processes are left running. Please change the behaviour of the products so that these processes die nicely.

Temporary solution:

If the tty associated with the process is a pty, then you can release the processes by

```
cat < ptyxx
```

This causes the pending output to be flushed, and the processes will die naturally.

Signed off 11/04/88 in release A01.10

Number: D200083063 Product: 6805 G EMUL 300 64194S004 01.00

One-line description:

Loading a trace file from a different processor may cause core dump

Problem:

If a trace file is created with "store trace" on a processor that allows multiple analysis modes with some mode other than the default, then is loaded by a processor with only one mode, a core dump will result. A good example is storing an execution mode trace on the dequeued 68000, then trying to load the trace on the non-dequeued 68000.

Temporary solution:

Do not attempt to load a trace file for a mode that is not supported.

Signed off 11/04/88 in release A01.10

Number: D200085845 Product: 6805 G EMUL 300 64194S004 01.00

One-line description:

Tracelist symbols disappear.

Problem:

The symbols will not be displayed in the trace list if the following commands are executed:

1. display trace absolute symbols on
2. end ; end locks the emulation session
3. <system name> <module name> ; continues the emulation session
4. display trace

The symbols will not be displayed even if you try to re-execute step number 1.

Temporary solution:

Perform the following steps after executing steps 1-4 listed in the problem text.

5. display trace mnemonic
6. display trace absolute

Signed off 11/04/88 in release A01.10

Number: D200086231 Product: 6805 G EMUL 300 64194S004 01.00

One-line description:

Using simio, then continuing , may not be possible

Problem:

If simio is used extensively, then the user attempts to end and reenter emulation, reentry will not be possible, and there will be a continuous error message stating that the 64120 will not accept a download. This is a problem with emulation core, and exists in all emulators.

Signed off 11/04/88 in release A01.10

Number: D200088195 Product: 6805 G EMUL 300 64194S004 01.00

One-line description:

"end" softkey after HP-IB error does not clear command line

Problem:

If there is an HP-IB error and the "end" softkey appears, the command line will not be cleared on any keystroke like it normally is. In addition there have been instances where NO keystroke would work and the "end" softkey was inoperable, nothing could be typed on the command line. The exit was to kill the process from another terminal. This problem exists for all HP64000-UX emulators built with /lsd/p2/cmd/emul/gencore.

Signed off 11/04/88 in release A01.10

Number: D200090654 Product: 6805 G EMUL 300 64194S004 01.00

One-line description:

Code disp. with trace not right if code changed w/o ending emul. session

Problem:

Source lines displayed with a trace may not be correct if the code is changed without ending out of the emulation session. For example, a user running is windows does a display trace source on, and sees a statement: i = 1; in the trace along with the MOVE.L #1,D0 that accompanies that source line. The user then moves to another window, changes the source line to i = 2; , recompiles, relinks, and runs edbuild. The user then moves back to the emulation window, reloads the file, and reruns the code and the trace. The trace shows MOVE.L #2,D0 as expected, BUT shows i = 1; as the source line.

End out of emulation, and reenter before loading the new program Source lines displayed with a trace may not be correct if the code is changed without ending out of the emulation session. For example, a user running is windows does a display trace source on, and sees a statement: i = 1; in the trace along with the MOVE.L #1,D0 that accompanies that source line. The user then moves to another window, changes the source line to i = 2; , recompiles, relinks, and runs edbuild. The user then moves back to the emulation window, reloads the file, and reruns the code and the trace. The

trace shows MOVE.L #2,D0 as expected, BUT shows i = 1; as the source line.

Temporary solution:

End out of emulation, and reenter before loading the new program or executing the trace.

Signed off 11/04/88 in release A01.10

Number: D200095505 Product: 6805 G EMUL 300 64194S004 01.00

One-line description:

Emulation core dumps when run in a small window.

Problem:

When emulation is run in a small window, it end releases before the status line comes up and generates a core file. It should leave the emulator locked and display a message, "Display size is too small".

Signed off 11/04/88 in release A01.10

Number: D200095794 Product: 6805 G EMUL 300 64194S004 01.00

One-line description:

"Copy to Read-Only files", fails to deliver an error message to screen

Problem:

If an attempt is made to use the copy command to write to read only file the command fails silently. The error message "permission denied" never shows up.

Signed off 11/04/88 in release A01.10

Number: D200082800 Product: 6805 G EMUL 300 64194S004 01.00

One-line description:

Allow file loading without symbol database update.

Problem:

Would like to be able to load a file without changing the symbol database.

Temporary solution:

No workaround at this time.

Signed off 11/04/88 in release A01.10

Number: D200083329 Product: 6805 G EMUL 300 64194S004 01.00

One-line description:

Provide a "display trace default" type of command.

Problem:

Provide a "display trace default" type command to display the current trace with default trace display settings.

Temporary solution:

No workaround.

Signed off 11/04/88 in release A01.10

Number: D200083600 Product: 6805 G EMUL 300 64194S004 01.00

One-line description:

Need a home up/down for symbol displays

Problem:

Add home up/down capability to symbol displays.

Temporary solution:

None at this time.

Signed off 11/04/88 in release A01.10

Number: D200084129 Product: 6805 G EMUL 300 64194S004 01.00

One-line description:

Add status line logging

Problem:

Add ability to log status line information to a file or buffer so the user could go back and check for messages that may have flashed by too quickly to be read.

Temporary solution:

None at this time.

Signed off 11/04/88 in release A01.10

Number: D200084384 Product: 6805 G EMUL 300 64194S004 01.00

One-line description:

Add "display module_name" command

Problem:

Add "display module_name" command so the user can easily tell which of several of the same processor he is running at any given time.

Temporary solution:

None at this time.

Signed off 11/04/88 in release A01.10

Number: D200084640 Product: 6805 G EMUL 300 64194S004 01.00

One-line description:
Add "set" command for shell variables (like in pmon)

Problem:
Since the softkey package now supports shell variable expansion, add a "set" command to emulation for creating shell variables. This feature already exists in pmon.

Temporary solution:
Set shell variables in the shell or in pmon before entering emulation.

Signed off 11/04/88 in release A01.10

Number: D200080465 Product: 6805 P EMUL 300 64193S004 01.00

One-line description:
pwd truncates the /net/system portion of the path when RFA'ed to system.

Problem:
When using the HP 64000-UX products and netnaming across the LAN to another system, such as a compile server, the HP-UX command "pwd" which is used by the HP64000-UX product to tell what the local directory is, truncates the "/net/system" part of the path.

This is a HP-UX operating system defect. It is not a defect in the HP 64000-UX application software. As soon as this defect is fixed in HP-UX, it will work correctly when using the HP 64000-UX applications.

Signed off 11/04/88 in release A01.10

Number: D200080770 Product: 6805 P EMUL 300 64193S004 01.00

One-line description:
Using Emulation across RFA can give incomplete symbol information

Problem:
Accessing symbol data in a remote file across RFA may result in incomplete symbol information being available. This problem is a result of read() calls being interrupted during file access over RFA.

This problem can also affect reading absolute data into memory as well.

Temporary solution:
If this problem occurs while loading absolute data, attempting to reload the file again may work.

There are two possible answers to this problem. The first is to move the .Y file to the machine running the emulator.

The second solution is to move the program object to the machine which is running the emulator. This can be done using the get64 program. When you load the emulator, a new .Y file will be created.

Signed off 11/04/88 in release A01.10

Number: D200081448 Product: 6805 P EMUL 300 64193S004 01.00

One-line description:
Relative path names (e.g. ./cmd) should not search PATH

Problem:
A new feature was added to the core feature set to search for command files using the users PATH variable for a search path. A defect has been introduced such that specifying a relative path with a command file still has the command file looked for in the search path.

Relative path names should override the PATH variable like they do in a standard shell. Only names not containing any '/' should be searched for using PATH. All others (especially ./name) should be used relative to the current directory.

Temporary solution:
Specify command files with full path names if the application is unable to find your command file.

Signed off 11/04/88 in release A01.10

Number: D200082016 Product: 6805 P EMUL 300 64193S004 01.00

One-line description:
Processes sometimes left running after parent has stopped.

Problem:
Sometimes, when the parent process to a measurement system is killed some of the measurement systems processes are left running. Please change the behaviour of the products so that these processes die nicely.

Temporary solution:
If the tty associated with the process is a pty, then you can release the processes by
cat < ptyxx
This causes the pending output to be flushed, and the processes will die naturally.

Signed off 11/04/88 in release A01.10

Number: D200083055 Product: 6805 P EMUL 300 64193S004 01.00

One-line description:
Loading a trace file from a different processor may cause core dump

Problem:
If a trace file is created with "store trace" on a processor that allows multiple analysis modes with some mode other than the default, then is loaded by a processor with only one mode, a core dump will result. A good example is storing an execution mode trace on the dequeued 68000, then trying to load the trace on the non-dequeued 68000.

Temporary solution:
Do not attempt to load a trace file for a mode that is not supported.

Signed off 11/04/88 in release A01.10

Number: D200085837 Product: 6805 P EMUL 300 64193S004 01.00

One-line description:
Tracelist symbols dissappear.

Problem:
The symbols will not be displayed in the trace list if the following commands are executed:

1. display trace absolute symbols on
2. end ; end locks the emulation session
3. <system name> <module name> ; continues the emulation session
4. display trace

The symbols will not be displayed even if you try to re-execute step number 1.

Temporary solution:
Perform the following steps after executing steps 1-4 listed in the problem text.

5. display trace mnemonic
6. display trace absolute

Signed off 11/04/88 in release A01.10

Number: D200086223 Product: 6805 P EMUL 300 64193S004 01.00

One-line description:
Using simio, then continuing , may not be possible

Problem:

If simio is used extensively, then the user attempts to end and reenter emulation, reentry will not be possible, and there will be a continuous error message stating that the 64120 will not accept a download. This is a problem with emulation core, and exists in all emulators.

Signed off 11/04/88 in release A01.10

Number: D200088187 Product: 6805 P EMUL 300 64193S004 01.00

One-line description:
"end" softkey after HP-IB error does not clear command line

Problem:
If there is an HP-IB error and the "end" softkey appears, the command line will not be cleared on any keystroke like it normally is. In addition there have been instances where NO keystroke would work and the "end" softkey was inoperable, nothing could be typed on the command line. The exit was to kill the process from another terminal. This problem exists for all HP64000-UX emulators built with /lsd/p2/cmd/emul/gencore.

Signed off 11/04/88 in release A01.10

Number: D200090647 Product: 6805 P EMUL 300 64193S004 01.00

One-line description:

Code disp. with trace not right if code changed w/o ending emul. session

Problem:

Source lines displayed with a trace may not be correct if the code is changed without ending out of the emulation session. For example, a user running is windows does a display trace source on, and sees a statement: i = 1; in the trace along with the MOVE.L #1,D0 that accompanies that source line. The user then moves to another window, changes the source line to i = 2;, recompiles, relinks, and runs edbuild. The user then moves back to the emulation window, reloads the file, and reruns the code and the trace. The trace shows MOVE.L #2,D0 as expected, BUT shows i = 1; as the source line.

End out of emulation, and reenter before loading the new program

Source lines displayed with a trace may not be correct if the code is changed without ending out of the emulation session. For example, a user running is windows does a display trace source on, and sees a statement: i = 1; in the trace along with the MOVE.L #1,D0 that accompanies that source line. The user then moves to another window, changes the source line to i = 2;, recompiles, relinks, and runs edbuild. The user then moves back to the emulation window, reloads the file, and reruns the code and the trace. The trace shows MOVE.L #2,D0 as expected, BUT shows i = 1; as the source line.

Temporary solution:

End out of emulation, and reenter before loading the new program or executing the trace.

Signed off 11/04/88 in release A01.10

Number: D200095497 Product: 6805 P EMUL 300 64193S004 01.00

One-line description:

Emulation core dumps when run in a small window.

Problem:

When emulation is run in a small window, it end releases before the status line comes up and generates a core file. It should leave the emulator locked and display a message, "Display size is too small".

Signed off 11/04/88 in release A01.10

Number: D200095786 Product: 6805 P EMUL 300 64193S004 01.00

One-line description:

"Copy to Read-Only files", fails to deliver an error message to screen

Problem:

If an attempt is made to use the copy command to write to read only file the command fails silently. The error message "permission denied" never shows up.

Signed off 11/04/88 in release A01.10

Number: D200082792 Product: 6805 P EMUL 300 64193S004 01.00

One-line description:

Allow file loading without symbol database update.

Problem:

Would like to be able to load a file without changing the symbol database.

Temporary solution:

No workaround at this time.

Signed off 11/04/88 in release A01.10

Number: D200083311 Product: 6805 P EMUL 300 64193S004 01.00

One-line description:

Provide a "display trace default" type of command.

Problem:

Provide a "display trace default" type command to display the current trace with default trace display settings.

Temporary solution:

No workaround.

Signed off 11/04/88 in release A01.10

Number: D200083592 Product: 6805 P EMUL 300 64193S004 01.00

One-line description:

Need a home up/down for symbol displays

Problem:

Add home up/down capability to symbol displays.

Temporary solution:

None at this time.

Signed off 11/04/88 in release A01.10

Number: D200084111 Product: 6805 P EMUL 300 64193S004 01.00

One-line description:

Add status line logging

Problem:

Add ability to log status line information to a file or buffer so the user could go back and check for messages that may have flashed by too quickly to be read.

Temporary solution:
None at this time.

Signed off 11/04/88 in release A01.10

Number: D200084376 Product: 6805 P EMUL 300 64193S004 01.00

One-line description:
Add "display module_name" command

Problem:
Add "display module_name" command so the user can easily tell which of several of the same processor he is running at any given time.

Temporary solution:
None at this time.

Signed off 11/04/88 in release A01.10

Number: D200084632 Product: 6805 P EMUL 300 64193S004 01.00

One-line description:
Add "set" command for shell variables (like in pmon)

Problem:
Since the softkey package now supports shell variable expansion, add a "set" command to emulation for creating shell variables. This feature already exists in pmon.

Temporary solution:
Set shell variables in the shell or in pmon before entering emulation.

Signed off 11/04/88 in release A01.10

Number: D200069401 Product: 6809 EMULATION 300 64215S004 01.00

One-line description:
Measurement System end_released when terminal cannot be initialized

Problem:
A measurement system will be end_released, resulting in loss of data, when a non-supported terminal is used to enter a currently locked measurement system. This problem will arise if the TERM environment variable is not set to a value that is supported by 64000-UX. This may happen when logging in to a system over a port that is not hard-wired (modem, LAN vt, etc.) where the system prompts you for the Terminal type, which sets the TERM variable.

Temporary solution:
Make sure that the TERM variable is set to a type of terminal that is supported with 64000-UX. This can be verified by typing "echo \$TERM".

Signed off 10/21/88 in release A01.10

Number: D200070557 Product: 6809 EMULATION 300 64215S004 01.00

One-line description:
The Inter-Module-Bus trigger signal latches when set to drive & receive

Problem:
When two emulators are set to drive and receive trigger, after the trigger signal is driven once over the IMB, the trigger signal latches. Subsequent measurements trigger immediately since the trigger signal on the IMB is still latched from the previous measurement.

Temporary solution:
No workaround at this time.

Signed off 10/21/88 in release A01.10

Number: D200080507 Product: 6809 EMULATION 300 64215S004 01.00

One-line description:
pwd truncates the /net/system portion of the path when RFA'ed to system.

Problem:
When using the HP 64000-UX products and netunaming across the LAN to another system, such as a compile server, the HP-UX command "pwd" which is used by the HP64000-UX product to tell what the local directory is, truncates the "/net/system" part of the path.

This is a HP-UX operating system defect. It is not a defect in the HP 64000-UX application software. As soon as this defect is fixed in HP-UX, it will work correctly when using the HP 64000-UX applications.

Signed off 10/21/88 in release A01.10

SRB detail reports as of 11/04/88 Page: 43

Number: D200080812 Product: 6809 EMULATION 300 64215S004 01.00

One-line description:
Using Emulation across RFA can give incomplete symbol information

Problem:
Accessing symbol data in a remote file across RFA may result in incomplete symbol information being available. This problem is a result of read() calls being interrupted during file access over RFA.

This problem can also affect reading absolute data into memory as well.

Temporary solution:
If this problem occurs while loading absolute data, attempting to reload the file again may work.

There are two possible answers to this problem. The first is to move the .Y file to the machine running the emulator.

The second solution is to move the program object to the machine which is running the emulator. This can be done using the get64 program. When you load the emulator, a new .Y file will be created.

Signed off 10/21/88 in release A01.10

Number: D200082081 Product: 6809 EMULATION 300 64215S004 01.00

One-line description:
Processes sometimes left running after parent has stopped.

Problem:
Sometimes, when the parent process to a measurement system is killed some of the measurement systems processes are left running. Please change the behaviour of the products so that these processes die nicely.

Temporary solution:
If the tty associated with the process is a pty, then you can release the processes by
cat < ptyxx
This causes the pending output to be flushed, and the processes will die naturally.

Signed off 10/21/88 in release A01.10

SRB detail reports as of 11/04/88 Page: 44

Number: D200083097 Product: 6809 EMULATION 300 64215S004 01.00

One-line description:
Loading a trace file from a different processor may cause core dump

Problem:
If a trace file is created with "store trace" on a processor that allows multiple analysis modes with some mode other than the default, then is loaded by a processor with only one mode, a core dump will result. A good example is storing an execution mode trace on the dequeued 68000, then trying to load the trace on the non-dequeued 68000.

Temporary solution:
Do not attempt to load a trace file for a mode that is not supported.

Signed off 10/21/88 in release A01.10

Number: D200085902 Product: 6809 EMULATION 300 64215S004 01.00

One-line description:
Tracelist symbols dissappear.

Problem:
The symbols will not be displayed in the trace list if the following commands are executed:

1. display trace absolute symbols on
2. end ; end locks the emulation session
3. <system name> <module name> ; continues the emulation session
4. display trace

The symbols will not be displayed even if you try to re-execute step number 1.

Temporary solution:
Perform the following steps after executing steps 1-4 listed in the problem text.

5. display trace mnemonic
6. display trace absolute

Signed off 10/21/88 in release A01.10

Number: D200086298 Product: 6809 EMULATION 300 64215S004 01.00

One-line description:
Using simio, then continuing, may not be possible

Problem:

If simio is used extensively, then the user attempts to end and reenter emulation, reentry will not be possible, and there will be a continuous error message stating that the 64120 will not accept a download. This is a problem with emulation core, and exists in all emulators.

Signed off 10/21/88 in release A01.10

Number: D200088252 Product: 6809 EMULATION 300 64215S004 01.00

One-line description:

"end" softkey after HP-IB error does not clear command line

Problem:

If there is an HP-IB error and the "end" softkey appears, the command line will not be cleared on any keystroke like it normally is. In addition there have been instances where NO keystroke would work and the "end" softkey was inoperable, nothing could be typed on the command line. The exit was to kill the process from another terminal. This problem exists for all HP64000-UX emulators built with /lsd/p2/cmd/emul/gencore.

Signed off 10/21/88 in release A01.10

Number: D200090712 Product: 6809 EMULATION 300 64215S004 01.00

One-line description:

Code disp. with trace not right if code changed w/o ending emul. session

Problem:

Source lines displayed with a trace may not be correct if the code is changed without ending out of the emulation session. For example, a user running in windows does a display trace source on, and sees a statement: i = 1; in the trace along with the MOVE.L #1,D0 that accompanies that source line. The user then moves to another window, changes the source line to i = 2;, recompiles, relinks, and runs edbuild. The user then moves back to the emulation window, reloads the file, and reruns the code and the trace. The trace shows MOVE.L #2,D0 as expected, BUT shows i = 1; as the source line.

End out of emulation, and reenter before loading the new program Source lines displayed with a trace may not be correct if the code is changed without ending out of the emulation session. For example, a user running in windows does a display trace source on, and sees a statement: i = 1; in the trace along with the MOVE.L #1,D0 that accompanies that source line. The user then moves to another window, changes the source line to i = 2;, recompiles, relinks, and runs edbuild. The user then moves back to the emulation window, reloads the file, and reruns the code and the trace. The trace shows MOVE.L #2,D0 as expected, BUT shows i = 1; as the source line.

Temporary solution:

End out of emulation, and reenter before loading the new program or executing the trace.

Signed off 10/21/88 in release A01.10

Number: D200094615 Product: 6809 EMULATION 300 64215S004 01.00

One-line description:

Read memory causes long breaks into background.

Problem:

Detailed Listing for Defect Number LSDqf04831
read memory causes long breaks into background

.....
Reading memory causes long breaks into background. The original 64000 system did not spend nearly as much time in background. Architectural differences prevent us from being able to duplicate these short times in 64000-UX; however, there are some optimizations which can improve the 64000-UX times.

Signed off 10/21/88 in release A01.10

Number: D200095562 Product: 6809 EMULATION 300 64215S004 01.00

One-line description:

Emulation core dumps when run in a small window.

Problem:

When emulation is run in a small window, it end releases before the status line comes up and generates a core file. It should leave the emulator locked and display a message, "Display size is too small".

Signed off 10/21/88 in release A01.10

Number: D200095851 Product: 6809 EMULATION 300 64215S004 01.00

One-line description:

"Copy to Read-Only files", fails to deliver an error message to screen

Problem:

If an attempt is made to use the copy command to write to read only file the command fails silently. The error message "permission denied" never shows up.

Signed off 10/21/88 in release A01.10

Number: D200082834 Product: 6809 EMULATION 300 64215S004 01.00

One-line description:

Allow file loading without symbol database update.

Problem:

Would like to be able to load a file without changing the symbol database.

Temporary solution:

No workaround at this time.

Signed off 10/21/88 in release A01.10

Number: D200083352 Product: 6809 EMULATION 300 64215S004 01.00

One-line description:
Provide a "display trace default" type of command.

Problem:
Provide a "display trace default" type command to display the current trace with default trace display settings.

Temporary solution:
No workaround.

Signed off 10/21/88 in release A01.10

Number: D200083634 Product: 6809 EMULATION 300 64215S004 01.00

One-line description:
Need a home up/down for symbol displays

Problem:
Add home up/down capability to symbol displays.

Temporary solution:
None at this time.

Signed off 10/21/88 in release A01.10

Number: D200084152 Product: 6809 EMULATION 300 64215S004 01.00

One-line description:
Add status line logging

Problem:
Add ability to log status line information to a file or buffer so the user could go back and check for messages that may have flashed by too quickly to be read.

Temporary solution:
None at this time.

Signed off 10/21/88 in release A01.10

Number: D200084418 Product: 6809 EMULATION 300 64215S004 01.00

One-line description:
Add "display module_name" command

Problem:
Add "display module_name" command so the user can easily tell which of several of the same processor he is running at any given time.

Temporary solution:
None at this time.

Signed off 10/21/88 in release A01.10

Number: D200084673 Product: 6809 EMULATION 300 64215S004 01.00

One-line description:
Add "set" command for shell variables (like in pmon)

Problem:
Since the softkey package now supports shell variable expansion, add a "set" command to emulation for creating shell variables. This feature already exists in pmon.

Temporary solution:
Set shell variables in the shell or in pmon before entering emulation.

Signed off 10/21/88 in release A01.10

Number: D200069419 Product: 6809E EMULATION 300 64216S004 01.00

One-line description:
Measurement System end_released when terminal cannot be initialized

Problem:

A measurement system will be end_released, resulting in loss of data, when a non-supported terminal is used to enter a currently locked measurement system. This problem will arise if the TERM environment variable is not set to a value that is supported by 64000-UX. This may happen when logging in to a system over a port that is not hard-wired (modem, LAN vt, etc.) where the system prompts you for the Terminal type, which sets the TERM variable.

Temporary solution:

Make sure that the TERM variable is set to a type of terminal that is supported with 64000-UX. This can be verified by typing "echo \$TERM".

Signed off 10/21/88 in release A01.10

Number: D200080515 Product: 6809E EMULATION 300 64216S004 01.00

One-line description:
pwd truncates the /net/system portion of the path when RFA'ed to system.

Problem:

When using the HP 64000-UX products and netunaming across the LAN to another system, such as a compile server, the HP-UX command "pwd" which is used by the HP64000-UX product to tell what the local directory is, truncates the "/net/system" part of the path.

This is a HP-UX operating system defect. It is not a defect in the HP 64000-UX application software. As soon as this defect is fixed in HP-UX, it will work correctly when using the HP 64000-UX applications.

Signed off 10/21/88 in release A01.10

Number: D200080820 Product: 6809E EMULATION 300 64216S004 01.00

One-line description:
Using Emulation across RFA can give incomplete symbol information

Problem:

Accessing symbol data in a remote file across RFA may result in incomplete symbol information being available. This problem is a result of read() calls being interrupted during file access over RFA.

This problem can also affect reading absolute data into memory as well.

Temporary solution:

If this problem occurs while loading absolute data, attempting

to reload the file again may work.

There are two possible answers to this problem. The first is to move the .Y file to the machine running the emulator.

The second solution is to move the program object to the machine which is running the emulator. This can be done using the get64 program. When you load the emulator, a new .Y file will be created.

Signed off 10/21/88 in release A01.10

Number: D200081851 Product: 6809E EMULATION 300 64216S004 01.00

One-line description:
The Inter-Module-Bus trigger signal latches when set to drive & receive

Problem:

When two emulators are set to drive and receive trigger, after the trigger signal is driven once over the IMB, the trigger signal latches. Subsequent measurements trigger immediately since the trigger signal on the IMB is still latched from the previous measurement.

Temporary solution:

No workaround at this time.

Signed off 10/21/88 in release A01.10

Number: D200082099 Product: 6809E EMULATION 300 64216S004 01.00

One-line description:
Processes sometimes left running after parent has stopped.

Problem:

Sometimes, when the parent process to a measurement system is killed some of the measurement systems processes are left running. Please change the behaviour of the products so that these processes die nicely.

Temporary solution:

If the tty associated with the process is a pty, then you can release the processes by

```
cat < ptyxx
```

This causes the pending output to be flushed, and the processes will die naturally.

Signed off 10/21/88 in release A01.10

Number: D200083105 Product: 6809E EMULATION 300 64216S004 01.00

One-line description:
Loading a trace file from a different processor may cause core dump

Problem:

If a trace file is created with "store trace" on a processor that allows multiple analysis modes with some mode other than the default, then is loaded by a processor with only one mode, a core dump will result. A good example is storing an execution mode trace on the dequeued 68000, then trying to load the trace on the non-dequeued 68000.

Temporary solution:

Do not attempt to load a trace file for a mode that is not supported.

Signed off 10/21/88 in release A01.10

Number: D200085910 Product: 6809E EMULATION 300 64216S004 01.00

One-line description:

Tracelist symbols disappear.

Problem:

The symbols will not be displayed in the trace list if the following commands are executed:

1. display trace absolute symbols on
2. end ; end locks the emulation session
3. <system name> <module name> ; continues the emulation session
4. display trace

The symbols will not be displayed even if you try to re-execute step number 1.

Temporary solution:

Perform the following steps after executing steps 1-4 listed in the problem text.

5. display trace mnemonic
6. display trace absolute

Signed off 10/21/88 in release A01.10

Number: D200086306 Product: 6809E EMULATION 300 64216S004 01.00

One-line description:

Using simio, then continuing , may not be possible

Problem:

If simio is used extensively, then the user attempts to end and reenter emulation, reentry will not be possible, and there will be a continuous error message stating that the 64120 will not accept a download. This is a problem with emulation core, and exists in all emulators.

Signed off 10/21/88 in release A01.10

Number: D200088260 Product: 6809E EMULATION 300 64216S004 01.00

One-line description:

"end" softkey after HP-IB error does not clear command line

Problem:

If there is an HP-IB error and the "end" softkey appears, the command line will not be cleared on any keystroke like it normally is. In addition there have been instances where NO keystroke would work and the "end" softkey was inoperable, nothing could be typed on the command line. The exit was to kill the process from another terminal. This problem exists for all HP64000-UX emulators built with /lsd/p2/cmd/emul/gencore.

Signed off 10/21/88 in release A01.10

Number: D200090720 Product: 6809E EMULATION 300 64216S004 01.00

One-line description:

Code disp. with trace not right if code changed w/o ending emul. session

Problem:

Source lines displayed with a trace may not be correct if the code is changed without ending out of the emulation session. For example, a user running in windows does a display trace source on, and sees a statement: i = 1; in the trace along with the MOVE.L #1,D0 that accompanies that source line. The user then moves to another window, changes the source line to i = 2; , recompiles, relinks, and runs edbuild. The user then moves back to the emulation window, reloads the file, and reruns the code and the trace. The trace shows MOVE.L #2,D0 as expected, BUT shows i = 1; as the source line.

End out of emulation, and reenter before loading the new program Source lines displayed with a trace may not be correct if the code is changed without ending out of the emulation session. For example, a user running in windows does a display trace source on, and sees a statement: i = 1; in the trace along with the MOVE.L #1,D0 that accompanies that source line. The user then moves to another window, changes the source line to i = 2; , recompiles, relinks, and runs edbuild. The user then moves back to the emulation window, reloads the file, and reruns the code and the trace. The trace shows MOVE.L #2,D0 as expected, BUT shows i = 1; as the source line.

Temporary solution:

End out of emulation, and reenter before loading the new program or executing the trace.

Signed off 10/21/88 in release A01.10

Number: D200095570 Product: 6809E EMULATION 300 64216S004 01.00

One-line description:

Emulation core dumps when run in a small window.

Problem:

When emulation is run in a small window, it end releases before the status line comes up and generates a core file. It should leave the emulator locked and display a message, "Display size is too small".

Signed off 10/21/88 in release A01.10

Number: D200095869 Product: 6809E EMULATION 300 64216S004 01.00

One-line description:
"Copy to Read-Only files", fails to deliver an error message to screen

Problem:
If an attempt is made to use the copy command to write to read only file the command fails silently. The error message "permission denied" never shows up.

Signed off 10/21/88 in release A01.10

Number: D200082842 Product: 6809E EMULATION 300 64216S004 01.00

One-line description:
Allow file loading without symbol database update.

Problem:
Would like to be able to load a file without changing the symbol database.

Temporary solution:
No workaround at this time.

Signed off 10/21/88 in release A01.10

Number: D200083360 Product: 6809E EMULATION 300 64216S004 01.00

One-line description:
Provide a "display trace default" type of command.

Problem:
Provide a "display trace default" type command to display the current trace with default trace display settings.

Temporary solution:
No workaround.

Signed off 10/21/88 in release A01.10

Number: D200083642 Product: 6809E EMULATION 300 64216S004 01.00

One-line description:
Need a home up/down for symbol displays

Problem:
Add home up/down capability to symbol displays.

Temporary solution:
None at this time.

Signed off 10/21/88 in release A01.10

Number: D200084160 Product: 6809E EMULATION 300 64216S004 01.00

One-line description:
Add status line logging

Problem:
Add ability to log status line information to a file or buffer so the user could go back and check for messages that may have flashed by too quickly to be read.

Temporary solution:
None at this time.

Signed off 10/21/88 in release A01.10

Number: D200084426 Product: 6809E EMULATION 300 64216S004 01.00

One-line description:
Add "display module_name" command

Problem:
Add "display module_name" command so the user can easily tell which of several of the same processor he is running at any given time.

Temporary solution:
None at this time.

Signed off 10/21/88 in release A01.10

Number: D200084681 Product: 6809E EMULATION 300 64216S004 01.00

One-line description:
Add "set" command for shell variables (like in pmon)

Problem:
Since the softkey package now supports shell variable expansion, add a "set" command to emulation for creating shell variables. This feature already exists in pmon.

Temporary solution:
Set shell variables in the shell or in pmon before entering emulation.

Signed off 10/21/88 in release A01.10

SRB detail reports as of 11/04/88

Page: 55

Number: D200094573 Product: 680XX DEBUG/SIM 300 64360S004 00.00

One-line description:
Window Resize performance inconsistant at screen boundaries.

Temporary solution:
There is no known work around. Be careful as the window approaches
the maximum size.

SRB detail reports as of 11/04/88

Page: 56

Number: D200095042 Product: 80186 EMUL DOS 64764S006 01.02

One-line description:
Searching a large memory address range can hang system

Signed off 11/04/88 in release A01.03

Number: D200096289 Product: 80186 EMUL DOS 64764S006 01.02

One-line description:
ctl-z is ignored one time upon entry into fui

Signed off 11/04/88 in release A01.03

Number: D200096339 Product: 80186 EMUL DOS 64764S006 01.02

One-line description:
Unable to use filename.a:symbol as a valid local symbol

Signed off 11/04/88 in release A01.03

Number: D200096362 Product: 80186 EMUL DOS 64764S006 01.02

One-line description:
Entering memory address could hang system

Signed off 11/04/88 in release A01.03

Number: D200096396 Product: 80186 EMUL DOS 64764S006 01.02

One-line description:
Ranging during analysis spec screen may hang system

Signed off 11/04/88 in release A01.03

Number: D200096305 Product: 80186 EMUL DOS 64764S006 01.02

One-line description:
Adding emsetspecrun and emspectrace, and changing emspecrun

Signed off 11/04/88 in release A01.03

SRB detail reports as of 11/04/88

Page: 57

Number: D200093427 Product: 80188 EMUL DOS 64765S006 01.00

One-line description:
Invalid COM port in 64700tab file

Problem:
There is an invalid COM port in the 64700tab file. The second COM port in the 64700tab file should be COM2 instead of COM1.

Temporary solution:
There is no workaroud available.

Signed off 08/31/88 in release A01.02

- -0

SRB detail reports as of 11/04/88

Page: 58

Number: 5000280750 Product: 8051 EMULATION 300 64264S004 01.00

One-line description:
"Core dumps" when displaying user memory<odd address> blocked word.

Problem:
8051 emulator will "end_release" with a core dump if a display of external_data_memory blocked word is requested with an odd address and the memory is mapped as target. Example:

display external_data_memory 1 blocked words

will cause the emulator to end release if address 1 is mapped as "external_data_memory target ram"

Signed off 10/10/88 in release A01.10

Number: D200069575 Product: 8051 EMULATION 300 64264S004 01.00

One-line description:
Measurement System end_released when terminal cannot be initialized

Problem:
A measurement system will be end_released, resulting in loss of data, when a non-supported terminal is used to enter a currently locked measurement system. This problem will arise if the TERM environment variable is not set to a value that is supported by 64000-UX. This may happen when logging in to a system over a port that is not hard-wired (modem, LAN vt, etc.) where the system prompts you for the Terminal type, which sets the TERM variable.

Temporary solution:
Make sure that the TERM variable is set to a type of terminal that is supported with 64000-UX. This can be verified by typing "echo \$TERM".

Signed off 10/10/88 in release A01.10

Number: D200075788 Product: 8051 EMULATION 300 64264S004 01.00

One-line description:
Msg "Monitor must reside in emul pgm mem" is flaky

Signed off 10/10/88 in release A01.10

Number: D200077438 Product: 8051 EMULATION 300 64264S004 01.00

One-line description:
Monitor is not recognized when overwritten, re-entered after "end-lock".

Signed off 10/10/88 in release A01.10

- -0

Number: D200080689 Product: 8051 EMULATION 300 64264S004 01.00

One-line description:

pwd truncates the /net/system portion of the path when RFA'ed to system.

Problem:

When using the HP 64000-UX products and netnaming across the LAN to another system, such as a compile server, the HP-UX command "pwd" which is used by the HP64000-UX product to tell what the local directory is, truncates the "/net/system" part of the path.

This is a HP-UX operating system defect. It is not a defect in the HP 64000-UX application software. As soon as this defect is fixed in HP-UX, it will work correctly when using the HP 64000-UX applications.

Signed off 10/10/88 in release A01.10

Number: D200080986 Product: 8051 EMULATION 300 64264S004 01.00

One-line description:

Using Emulation across RFA can give incomplete symbol information

Problem:

Accessing symbol data in a remote file across RFA may result in incomplete symbol information being available. This problem is a result of read() calls being interrupted during file access over RFA.

This problem can also affect reading absolute data into memory as well.

Temporary solution:

If this problem occurs while loading absolute data, attempting to reload the file again may work.

There are two possible answers to this problem. The first is to move the .Y file to the machine running the emulator.

The second solution is to move the program object to the machine which is running the emulator. This can be done using the get64 program. When you load the emulator, a new .Y file will be created.

Signed off 10/10/88 in release A01.10

Number: D200081935 Product: 8051 EMULATION 300 64264S004 01.00

One-line description:

The Inter-Module-Bus trigger signal latches when set to drive & receive

Problem:

When two emulators are set to drive and receive trigger, after the trigger signal is driven once over the IMB, the trigger signal latches. Subsequent measurements trigger immediately since the trigger signal on the IMB is still latched from the previous measurement.

Temporary solution:

No workaround at this time.

Signed off 10/10/88 in release A01.10

Number: D200082263 Product: 8051 EMULATION 300 64264S004 01.00

One-line description:

Processes sometimes left running after parent has stopped.

Problem:

Sometimes, when the parent process to a measurement system is killed some of the measurement systems processes are left running. Please change the behaviour of the products so that these processes die nicely.

Temporary solution:

If the tty associated with the process is a pty, then you can release the processes by

```
cat < ptyxx
```

This causes the pending output to be flushed, and the processes will die naturally.

Signed off 10/10/88 in release A01.10

Number: D200082453 Product: 8051 EMULATION 300 64264S004 01.00

One-line description:

Emulator end_releases when displaying int. data mem. repet. at odd addr.

Problem:

When displaying internal_data_memory at an odd address repetitively, the emulator end_releases with the error "HP 64120 I/O failed - Bad Address"

Temporary solution:

Specify an even address or a range that does not exceed the internal data memory space (maximum 7fh).

Signed off 10/10/88 in release A01.10

Number: D200083279 Product: 8051 EMULATION 300 64264S004 01.00

One-line description:

Loading a trace file from a different processor may cause core dump

Problem:

If a trace file is created with "store trace" on a processor that allows multiple analysis modes with some mode other than the default, then is loaded by a processor with only one mode, a core dump will result. A good example is storing an execution mode trace on the dequeued 68000, then trying to load the trace on the non-dequeued 68000.

Temporary solution:

Do not attempt to load a trace file for a mode that is not supported.

Signed off 10/10/88 in release A01.10

Number: D200084913 Product: 8051 EMULATION 300 64264S004 01.00

One-line description:

"modify memory" command results in an "end release".

Problem:

The "Modify Memory" command results in an "end release".

Signed off 10/13/88 in release A01.10

Number: D200086405 Product: 8051 EMULATION 300 64264S004 01.00

One-line description:

Using simio, then continuing , may not be possible

Problem:

If simio is used extensively, then the user attempts to end and reenter emulation, reentry will not be possible, and there will be a continuous error message stating that the 64120 will not accept a download. This is a problem with emulation core, and exists in all emulators.

Signed off 10/10/88 in release A01.10

Number: D200088369 Product: 8051 EMULATION 300 64264S004 01.00

One-line description:

"end" softkey after HP-IB error does not clear command line

Problem:

If there is an HP-IB error and the "end" softkey appears, the command line will not be cleared on any keystroke like it normally is. In addition there have been instances where NO keystroke would work and the "end" softkey was inoperable, nothing could be typed on the command line. The exit was to kill the process from another terminal. This problem exists for all HP64000-UX emulators built with /lsd/p2/cmd/emul/gencore.

Signed off 10/10/88 in release A01.10

Number: D200090894 Product: 8051 EMULATION 300 64264S004 01.00

One-line description:

Code disp. with trace not right if code changed w/o ending emul. session

Problem:

Source lines displayed with a trace may not be correct if the code is changed without ending out of the emulation session. For example, a user running is windows does a display trace source on, and sees a statement: i = 1; in the trace along with the MOVE.L #1,D0 that accompanies that source line. The user then

moves to another window, changes the source line to i = 2;, recompiles, relinks, and runs edbuild. The user then moves back to the emulation window, reloads the file, and reruns the code and the trace. The trace shows MOVE.L #2,D0 as expected, BUT shows i = 1; as the source line.

End out of emulation, and reenter before loading the new program Source lines displayed with a trace may not be correct if the code is changed without ending out of the emulation session. For example, a user running is windows does a display trace source on, and sees a statement: i = 1; in the trace along with the MOVE.L #1,D0 that accompanies that source line. The user then moves to another window, changes the source line to i = 2;, recompiles, relinks, and runs edbuild. The user then moves back to the emulation window, reloads the file, and reruns the code and the trace. The trace shows MOVE.L #2,D0 as expected, BUT shows i = 1; as the source line.

Temporary solution:

End out of emulation, and reenter before loading the new program or executing the trace.

Signed off 10/10/88 in release A01.10

Number: D200083014 Product: 8051 EMULATION 300 64264S004 01.00

One-line description:

Allow file loading without symbol database update.

Problem:

Would like to be able to load a file without changing the symbol database.

Temporary solution:

No workaround at this time.

Signed off 10/10/88 in release A01.10

Number: D200083535 Product: 8051 EMULATION 300 64264S004 01.00

One-line description:

Provide a "display trace default" type of command.

Problem:

Provide a "display trace default" type command to display the current trace with default trace display settings.

Temporary solution:

No workaround.

Signed off 10/10/88 in release A01.10

Number: D200083816 Product: 8051 EMULATION 300 64264S004 01.00

One-line description:
Need a home up/down for symbol displays

Problem:
Add home up/down capability to symbol displays.

Temporary solution:
None at this time.

Signed off 10/10/88 in release A01.10

Number: D200084335 Product: 8051 EMULATION 300 64264S004 01.00

One-line description:
Add status line logging

Problem:
Add ability to log status line information to a file or buffer so the user could go back and check for messages that may have flashed by too quickly to be read.

Temporary solution:
None at this time.

Signed off 10/10/88 in release A01.10

Number: D200084590 Product: 8051 EMULATION 300 64264S004 01.00

One-line description:
Add "display module_name" command

Problem:
Add "display module_name" command so the user can easily tell which of several of the same processor he is running at any given time.

Temporary solution:
None at this time.

Signed off 10/10/88 in release A01.10

Number: D200084855 Product: 8051 EMULATION 300 64264S004 01.00

One-line description:
Add "set" command for shell variables (like in pmon)

Problem:
Since the softkey package now supports shell variable expansion, add a "set" command to emulation for creating shell variables. This feature already exists in pmon.

Temporary solution:
Set shell variables in the shell or in pmon before entering emulation.
Signed off 10/10/88 in release A01.10

SRB detail reports as of 11/04/88

Page: 65

Number: D200095034 Product: TMS320C25 EMUL DOS 64787S006 01.01

One-line description:
ctl-z is ignored one time upon entry into fui

Signed off 10/31/88 in release A01.02

Number: D200096347 Product: TMS320C25 EMUL DOS 64787S006 01.01

One-line description:
Unable to use filename.a:symbol as a valid local symbol

Signed off 10/31/88 in release A01.02

Number: D200096370 Product: TMS320C25 EMUL DOS 64787S006 01.01

One-line description:
Entering memory address could hang system

Signed off 10/31/88 in release A01.02

Number: D200096404 Product: TMS320C25 EMUL DOS 64787S006 01.01

One-line description:
Ranging during analysis spec screen may hang system

Signed off 10/31/88 in release A01.02

Number: D200096438 Product: TMS320C25 EMUL DOS 64787S006 01.01

One-line description:
Searching a large memory address range can hang system

Signed off 10/31/88 in release A01.02

Number: D200096313 Product: TMS320C25 EMUL DOS 64787S006 01.01

One-line description:
Adding emsetspecrun and emspectrace, and changing emspecrun

Signed off 10/31/88 in release A01.02

- -M

SRB detail reports as of 11/04/88

Page: 66

Number: D200096271 Product: Z80 EMUL DOS 64753S006 01.01

One-line description:
ctl-z is ignored one time upon entry into fui

Signed off 11/04/88 in release A01.02

Number: D200096321 Product: Z80 EMUL DOS 64753S006 01.01

One-line description:
Unable to use filename.a:symbol as a valid local symbol

Signed off 11/04/88 in release A01.02

Number: D200096354 Product: Z80 EMUL DOS 64753S006 01.01

One-line description:
Entering memory address could hang system

Signed off 11/04/88 in release A01.02

Number: D200096388 Product: Z80 EMUL DOS 64753S006 01.01

One-line description:
Ranging during analysis spec screen may hang system

Signed off 11/04/88 in release A01.02

Number: D200096420 Product: Z80 EMUL DOS 64753S006 01.01

One-line description:
Searching a large memory address range can hang system

Signed off 11/04/88 in release A01.02

Number: D200096297 Product: Z80 EMUL DOS 64753S006 01.01

One-line description:
Adding emsetspecrun and emspectrace, and changing emspecrun

Signed off 11/04/88 in release A01.02

- -8

Number: 5000407874 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:

Display io_port repetitively blocked words sometimes hangs the terminal

Problem:

The command "display io_port 52H repetitively blocked words" creates an unexpected process on the 300 and hangs the terminal. The unreadable process name can be seen using "ps -ef from another terminal. If the address of the io_port is a multiple of 10H this problem does not occur.

Signed off 09/22/88 in release A01.10

Number: D200069559 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:

Measurement System end_released when terminal cannot be initialized

Problem:

A measurement system will be end_released, resulting in loss of data, when a non-supported terminal is used to enter a currently locked measurement system. This problem will arise if the TERM environment variable is not set to a value that is supported by 64000-UX. This may happen when logging in to a system over a port that is not hard-wired (modem, LAN vt, etc.) where the system prompts you for the Terminal type, which sets the TERM variable.

Temporary solution:

Make sure that the TERM variable is set to a type of terminal that is supported with 64000-UX. This can be verified by typing "echo \$TERM".

Signed off 09/22/88 in release A01.10

Number: D200080663 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:

pwd truncates the /net/system portion of the path when RFA'ed to system.

Problem:

When using the HP 64000-UX products and netnaming across the LAN to another system, such as a compile server, the HP-UX command "pwd" which is used by the HP64000-UX product to tell what the local directory is, truncates the "/net/system" part of the path.

This is a HP-UX operating system defect. It is not a defect in the HP 64000-UX application software. As soon as this defect is fixed in HP-UX, it will work correctly when using the HP 64000-UX applications.

Signed off 09/22/88 in release A01.10

Number: D200080960 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:

Using Emulation across RFA can give incomplete symbol information

Problem:

Accessing symbol data in a remote file across RFA may result in incomplete symbol information being available. This problem is a result of read() calls being interrupted during file access over RFA.

This problem can also affect reading absolute data into memory as well.

Temporary solution:

If this problem occurs while loading absolute data, attempting to reload the file again may work.

There are two possible answers to this problem. The first is to move the .Y file to the machine running the emulator.

The second solution is to move the program object to the machine which is running the emulator. This can be done using the get64 program. When you load the emulator, a new .Y file will be created.

Signed off 09/22/88 in release A01.10

Number: D200081919 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:

The Inter-Module-Bus trigger signal latches when set to drive & receive

Problem:

When two emulators are set to drive and receive trigger, after the trigger signal is driven once over the IMB, the trigger signal latches. Subsequent measurements trigger immediately since the trigger signal on the IMB is still latched from the previous measurement.

Temporary solution:

No workaround at this time.

Signed off 09/22/88 in release A01.10

Number: D200082248 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:

Processes sometimes left running after parent has stopped.

Problem:

Sometimes, when the parent process to a measurement system is killed some of the measurement systems processes are left running. Please change the behaviour of the products so that these processes die nicely.

Temporary solution:

If the tty associated with the process is a pty, then you can release the processes by

```
cat < ptyxx
```

This causes the pending output to be flushed, and the processes will die naturally.

Signed off 09/22/88 in release A01.10

Number: D200083253 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:

Loading a trace file from a different processor may cause core dump

Problem:

If a trace file is created with "store trace" on a processor that allows multiple analysis modes with some mode other than the default, then is loaded by a processor with only one mode, a core dump will result. A good example is storing an execution mode trace on the dequeued 68000, then trying to load the trace on the non-dequeued 68000.

Temporary solution:

Do not attempt to load a trace file for a mode that is not supported.

Signed off 09/22/88 in release A01.10

Number: D200086041 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:

Tracelist symbols disappear.

Problem:

The symbols will not be displayed in the trace list if the following commands are executed:

1. display trace absolute symbols on
2. end ; end locks the emulation session
3. <system name> <module name> ; continues the emulation session
4. display trace

The symbols will not be displayed even if you try to re-execute step number 1.

Temporary solution:

Perform the following steps after executing steps 1-4 listed in the problem text.

5. display trace mnemonic
6. display trace absolute

Signed off 09/22/88 in release A01.10

Number: D200086389 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:

Using simio, then continuing , may not be possible

Problem:

If simio is used extensively, then the user attempts to end and reenter emulation, reentry will not be possible, and there will be a continuous error message stating that the 64120 will not accept a download. This is a problem with emulation core, and exists in all emulators.

Signed off 09/22/88 in release A01.10

Number: D200088344 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:

"end" softkey after HP-IB error does not clear command line

Problem:

If there is an HP-IB error and the "end" softkey appears, the command line will not be cleared on any keystroke like it normally is. In addition there have been instances where NO keystroke would work and the "end" softkey was inoperable, nothing could be typed on the command line. The exit was to kill the process from another terminal. This problem exists for all HP64000-UX emulators built with /lspd/p2/cmd/emul/gencore.

Signed off 09/22/88 in release A01.10

Number: D200090878 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:

Code disp. with trace not right if code changed w/o ending emul. session

Problem:

Source lines displayed with a trace may not be correct if the code is changed without ending out of the emulation session. For example, a user running is windows does a display trace source on, and sees a statement: i = 1; in the trace along with the MOVE.L #1,D0 that accompanies that source line. The user then moves to another window, changes the source line to i = 2;, recompiles, relinks, and runs edbuild. The user then moves back to the emulation window, reloads the file, and reruns the code and the trace. The trace shows MOVE.L #2,D0 as expected, BUT shows i = 1; as the source line.

End out of emulation, and reenter before loading the new program Source lines displayed with a trace may not be correct if the code is changed without ending out of the emulation session. For example, a user running is windows does a display trace source on, and sees a statement: i = 1; in the trace along with the MOVE.L #1,D0 that accompanies that source line. The user then moves to another window, changes the source line to i = 2;, recompiles, relinks, and runs edbuild. The user then moves back to the emulation window, reloads the file, and reruns the code and the trace. The trace shows MOVE.L #2,D0 as expected, BUT shows i = 1; as the

source line.

Temporary solution:

End out of emulation, and reenter before loading the new program or executing the trace.

Signed off 09/22/88 in release A01.10

Number: D200093831 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:

Source lines missing from absolute trace display

Problem:

Source lines do not appear in the display during a "trace absolute source on." Source lines do appear in the display during a "trace mnemonic source on." Source lines should appear for both types of display.

Signed off 09/22/88 in release A01.10

Number: D200093989 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:

"GOOD" Emulation hardware may "FAIL PV".

Problem:

The 64000-UX version of PV for the Z80H may erroneously report failures in the software breakpoint and illegal opcode break tests.

Signed off 09/22/88 in release A01.10

Number: 5000174557 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:

"run until" uses trace before <trigger>, it should trace about <trigger>

Problem:

When you use the command "run until <trigger condition>", the internal analyzer is used to detect the trigger condition and then drive a break signal to the emulator. Since this break signal does not always come quickly enough to break the emulator on the desired state, the emulator may execute an extra instruction following the break condition. The problem is that the analyzer performs a "trace before <trigger cond.>" thus failing to show in the trace display whether any extra instructions were executed. The analyzer should be made to "trace about <trigger cond.>" so that the user can tell from the trace whether or not the emulator overshot its breakpoint.

Signed off 09/22/88 in release A01.10

Number: 5000191395 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:

With no absolute file loaded, "syntax error" is given for symbol access.

Problem:

An inappropriate error message is given when the user tries to access the local symbols in a file when no absolute file has been loaded. The error message given is "syntax error". This message is very confusing since the syntax is indeed correct. The error message should read "no symbols loaded" or "file not found" or "no absolute file loaded".

Signed off 09/22/88 in release A01.10

Number: D200082990 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:

Allow file loading without symbol database update.

Problem:

Would like to be able to load a file without changing the symbol database.

Temporary solution:

No workaround at this time.

Signed off 09/22/88 in release A01.10

Number: D200083519 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:

Provide a "display trace default" type of command.

Problem:

Provide a "display trace default" type command to display the current trace with default trace display settings.

Temporary solution:

No workaround.

Signed off 09/22/88 in release A01.10

Number: D200083790 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:

Need a home up/down for symbol displays

Problem:

Add home up/down capability to symbol displays.

Temporary solution:

None at this time.

Signed off 09/22/88 in release A01.10

Number: D200084319 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:
Add status line logging

Problem:
Add ability to log status line information to a file or buffer so the user could go back and check for messages that may have flashed by too quickly to be read.

Temporary solution:
None at this time.

Signed off 09/22/88 in release A01.10

Number: D200084574 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:
Add "display module_name" command

Problem:
Add "display module_name" command so the user can easily tell which of several of the same processor he is running at any given time.

Temporary solution:
None at this time.

Signed off 09/22/88 in release A01.10

Number: D200084830 Product: Z80H EMULATION 300 64253S004 01.00

One-line description:
Add "set" command for shell variables (like in pmon)

Problem:
Since the softkey package now supports shell variable expansion, add a "set" command to emulation for creating shell variables. This feature already exists in pmon.

Temporary solution:
Set shell variables in the shell or in pmon before entering emulation.

Signed off 09/22/88 in release A01.10



5958-6019, November 1988
E1188

Printed in U.S.A.